



**CITY OF PERRYSBURG
CITY COUNCIL
AGENDA**

May 16, 2023

1. Call to Order - 6:30 PM
2. Roll Call
3. Pledge of Allegiance
4. Minutes of Council Meeting of May 1, 2023
5. Special Reports
6. Letters, Communications, and Citizens Communications
 - a. Employee Recognition
7. Administrative Reports
 - a. Mayor
 - Mayor's Reappointments
 - b. City Administrator
 - c. Finance Director
 - d. Law Director
8. President of Council Report
9. Committee Reports

a. Finance & Economic Development

Resolution# 52-2023

PLACING A RENEWAL LEVY PURSUANT TO O.R.C. § 5705.19(XX) OF AN 0.8 MILL TAX OUTSIDE THE TEN MILL LIMITATION FOR PUBLIC TRANSPORTATION ON THE NOVEMBER 7, 2023 BALLOT AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Resolution# 53-2023

PLACING A REPLACEMENT LEVY IN EXCESS OF THE TEN MILL LIMITATION PURSUANT TO O.R.C. §5705.19(v) ON THE NOVEMBER 7, 2023 GENERAL ELECTION BALLOT FOR THE PURPOSE OF PROVIDING FOR THE COLLECTION AND DISPOSAL OF TRASH AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Resolution# 54-2023

A RESOLUTION TO APPROVE THEN AND NOW CERTIFICATES IN THE AMOUNT OF TWENTY-FOUR THOUSAND FOUR HUNDRED EIGHTY-FIVE DOLLARS (\$24,485.00) AS ATTACHED IN EXHIBIT A FOR THE CITY OF PERRYSBURG; AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Resolution# 55-2023

A RESOLUTION AUTHORIZING THE MAYOR TO ACCEPT THE FUNDS DONATED BY BON SECOURS MERCY HEALTH FOR THE PURCHASE OF SAFETY EQUIPMENT; AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Ordinance# 16-2023

AN ORDINANCE LEVYING SPECIAL ASSESSMENTS FOR THE PURPOSE OF LIGHTING STREETS, ALLEYS, WAYS AND OTHER PUBLIC PLACES IN THE CITY OF PERRYSBURG AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Ordinance# 17-2023

AN ORDINANCE DETERMINING TO PROCEED WITH THE IMPROVEMENT OF CERTAIN PUBLIC PLACES IN THE CITY BY LIGHTING AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Ordinance# 18-2023

AN ORDINANCE LEVYING SPECIAL ASSESSMENTS FOR THE REMOVAL AND SPECIAL TREATMENT OF SHADE TREES AND CONTROLLING THE BLIGHT AND DISEASE OF SAME AND FOR PLANTING, MAINTAINING, TRIMMING AND REMOVING SHADE TREES IN AND ALONG THE STREETS AND WITHIN PUBLIC RIGHTS-OF-WAY OF THE CITY OF PERRYSBURG AND DECLARING

AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Ordinance# 19-2023

AN ORDINANCE DETERMINING TO PROCEED WITH THE REMOVAL AND SPECIAL TREATMENT OF SHADE TREES AND CONTROLLING THE BLIGHT AND DISEASE OF SAME AND FOR PLANTING, MAINTAINING, TRIMMING AND REMOVING SHADE TREES IN AND ALONG THE STREETS AND WITHIN PUBLIC RIGHTS-OF-WAY OF THE CITY OF PERRYSBURG AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

b. Safety

Resolution# 31-2023

A RESOLUTION AUTHORIZING A PURCHASE AGREEMENT WITH PENN CARE NOT TO EXCEED THREE HUNDRED EIGHTY-SIX THOUSAND, ONE HUNDRED FORTY-EIGHT DOLLARS (\$386,148.00) FOR THE PURCHASE OF A BRAUN CHIEF XL, FORD F-550 4X4 DIESEL CHASSIS AMBULANCE FOR THE PERRYSBURG FIRE DIVISION AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

Resolution# 32-2023

A RESOLUTION AUTHORIZING A PURCHASE AGREEMENT WITH PENN CARE NOT TO EXCEED THREE HUNDRED EIGHTY-SIX THOUSAND, ONE HUNDRED FORTY-EIGHT DOLLARS (\$386,148.00) FOR THE PURCHASE OF A BRAUN CHIEF XL, FORD F-550 4X4 DIESEL CHASSIS AMBULANCE FOR THE PERRYSBURG FIRE DIVISION AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

c. Recreation

Ordinance# 20-2023

AMENDING CODIFIED ORDINANCE 280.05 OFFICERS; MEETINGS; QUORUM OF THE CITIZEN'S PARK AND RECREATION ADVISORY COMMITTEE PREVIOUSLY AMENDED BY ORDINANCE 58-2019 ON DECEMBER 17, 2019 AND DECLARING AN EMERGENCY

Recommendation to Suspend the Rules,

***Waive the Three Readings, and
Pass as an Emergency Measure***

d. Planning & Zoning

e. Personnel

f. Public Utilities

g. Service

Resolution# 50-2023

A RESOLUTION AWARDING A BID AND AGREEMENT TO FREEDOM
ROOFING, WINDOWS AND SIDING, LLC. IN THE AMOUNT
OF SEVENTY-FOUR THOUSAND NINE HUNDRED THIRTY-
FOUR DOLLARS AND ZERO CENTS (\$74,934.00) FOR COURTHOUSE
ROOF REPAIR PROJECT AND DECLARING AN EMERGENCY

***Recommendation to Suspend the Rules,
Waive the Three Readings, and
Pass as an Emergency Measure***

10. Other Business

a. Ordinance# 21-2023

11. Adjournment

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Resolution 52-2023

DATE: May 12, 2023



Subject Matter/Background

Resolution 52-2023 is for a renewal 0.8 mill levy to constitute a tax outside the ten-mill statutory limitation, for the purpose of providing transportation services for the movement of persons, within, from, or to the municipal corporation, at a rate not exceeding 0.8 mills for each one dollar of valuation, which amounts to \$0.08 for each one thousand dollars of valuation for five (5) years.

Such a levy would be placed upon the tax list of the current tax year, commencing in 2023, and first due in calendar year 2024, in compliance with Ohio Revised Code Section 5705.34, if a majority of the electors voting thereon vote in favor thereof.

This resolution was approved by the Finance Committee 3-0 to forward to City Council.

Financial Review

There is no funding needed for this resolution.

Legal Review

This resolution has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Resolution as an Emergency is recommended.

RESOLUTION 52-2023

PLACING A RENEWAL LEVY PURSUANT TO O.R.C. § 5705.19(XX) OF AN 0.8 MILL TAX OUTSIDE THE TEN MILL LIMITATION FOR PUBLIC TRANSPORTATION ON THE NOVEMBER 7, 2023 BALLOT AND DECLARING AN EMERGENCY

WHEREAS, on March 6, 2012, the voters of the City of Perrysburg, Ohio, approved its removal from the territory served by the Toledo Area Regional Transit Authority (TARTA), and

WHEREAS, on May 7, 2013 the electors of the City of Perrysburg passed a new tax pursuant to Ohio R.C. § 5705.19(XX) which allows a city that has withdrawn from a regional transit authority to place on the ballot a property tax in excess of the ten mill limitation for the purpose of providing transportation services for the movement of persons, within, from, or to the municipal corporation, and

WHEREAS, the revenue necessary to provide for the transportation services for the movement of persons, within, from, or to the municipal corporation is provided by a 0.8 mill levy pursuant to O.R.C. § 5705.19(XX), which has been in place since 2013 but is subject to expire, and

WHEREAS, pursuant to Resolution 24-2023, the City declared the necessity of placing a renewal levy on the November 7, 2023 general election ballot for the purpose of providing public transportation, and

WHEREAS, as reflected on Exhibit A the Wood County Auditor has certified to the City that the dollar amount of revenue that would be produced by the stated millage is an estimated Five Hundred Thirty-Nine Thousand Dollars (\$539,000.00), which amounts to \$0.08 for each one thousand dollars of valuation, based on the current assessed valuation of the City of Perrysburg of \$825,445,040.00.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO, TWO-THIRD (2/3) OF ALL MEMBERS ELECTED THERETO CONCURRING:

SECTION 1. Pursuant O.R.C. 5705.19(XX), the Council of City of Perrysburg, two-thirds of all members elected thereto concurring, desires to and does submit the question of a renewal 0.8 mill levy to constitute a tax outside the ten-mill statutory limitation, for the purpose of providing transportation services for the movement of persons, within, from, or to the municipal corporation, at a rate not exceeding 0.8 mills

for each one dollar of valuation, which amounts to \$0.08 for each one thousand dollars of valuation for five (5) years.

SECTION 2. Such a levy would be placed upon the tax list of the current tax year, commencing in 2023, and first due in calendar year 2024, in compliance with Ohio Revised Code Section 5705.34, if a majority of the electors voting thereon vote in favor thereof.

SECTION 3. The question of such tax levy shall be submitted to the electors of the City of Perrysburg, Wood County, Ohio, at the November 7, 2023, General Election.

SECTION 4. The Clerk is hereby directed to certify, not less than ninety (90) days prior the election, to the Board of Elections, Wood County, Ohio, a copy of the resolution of necessity and a copy of this resolution together with the certification of the Wood County Auditor, and notify the Board of Elections to cause notice of election on the question of levying the tax to be given as required by law.

SECTION 5. It is found and determined that all formal actions of Council concerning or relating to the passage of this Resolution were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 6. This Resolution is declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the City, and for the further reason that this ordinance is necessary to permit the City to timely move forward with the process of submitting this issue to the Wood County Board of Elections and Ohio Secretary of State; wherefore, this ordinance shall be in full force and effect immediately upon its passage.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Resolution 53-2023

DATE: May 12, 2023



Subject Matter/Background

Resolution 53-2023 is for a renewal replacement 1.0 mill levy to constitute a tax outside the otherwise applicable ten-mill statutory limitation, for the purpose of providing for the collection and disposal of garbage, recyclables, and other refuse; at a rate not exceeding 1.0 mills for each one dollar of valuation, which amounts to \$0.10 for each one hundred dollars of valuation for two (2) years.

Such a levy would be placed upon the tax lists of the current tax year, commencing in 2023 and terminating in 2025, and first due in calendar year 2024, in compliance with Ohio Revised Code Section 5705.34, if a majority of the electors voting thereon vote in favor thereof.

This resolution was approved by the Finance Committee 3-0 to forward to City Council.

Financial Review

There is no funding needed for this resolution.

Legal Review

This resolution has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Resolution as an Emergency is recommended.

RESOLUTION 53-2023

PLACING A REPLACEMENT LEVY IN EXCESS OF THE TEN MILL LIMITATION PURSUANT TO O.R.C. §5705.19(v) ON THE NOVEMBER 7, 2023 GENERAL ELECTION BALLOT FOR THE PURPOSE OF PROVIDING FOR THE COLLECTION AND DISPOSAL OF TRASH AND DECLARING AN EMERGENCY

WHEREAS, the City of Perrysburg, Ohio, provides for the collection and disposal of garbage and refuse for certain non-commercial residential properties within the City, and the revenue necessary to provide for such collection and disposal comes from tax millage; and,

WHEREAS, the amount of taxes which may be raised within the ten-mill limitation by levies on the current tax duplicate is insufficient to provide adequately for this collection and disposal of garbage and refuse; and,

WHEREAS, the revenue necessary to provide for the collection and disposal of garbage and refuse is provided by a 1.0 mill levy pursuant to O.R.C. §5705.19(V), which has been in place since 2021, but is subject to expire; and,

WHEREAS, pursuant to Resolution 23-2023, the City declared the necessity of placing a replacement levy on the November 7, 2023 general election ballot for the purpose of providing for collection and disposal of garbage and refuse; and,

WHEREAS, as reflected on Exhibit A, the Wood County Auditor has certified to the City that the dollar amount of revenue that would be generated by the tax levy during the first year of collection is an estimated Eight Hundred Twenty-Five Thousand Dollars (\$825,000), which amounts to \$0.10 for each one hundred dollars of valuation, based on the current assessed valuation of the City of Perrysburg of \$825,445,040.00.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO, TWO-THIRD (2/3) OF ALL MEMBERS ELECTED THERETO CONCURRING:

SECTION 1. Pursuant to O.R.C. §5705.19(V), the Council of City of Perrysburg, two-thirds of all members elected thereto concurring, desires to and does submit the question of a replacement 1.0 mill levy to constitute a tax outside the otherwise applicable ten-mill statutory limitation, for the purpose of providing for the collection

RES 53-2023

and disposal of garbage, recyclables, and other refuse; at a rate not exceeding 1.0 mills for each one dollar of valuation, which amounts to \$0.10 for each one hundred dollars of valuation for two (2) years.

SECTION 2. Such a levy would be placed upon the tax lists of the current tax year, commencing in 2023 and terminating in 2025, and first due in calendar year 2024, in compliance with Ohio Revised Code Section 5705.34, if a majority of the electors voting thereon vote in favor thereof.

SECTION 3. The question of such tax levy shall be submitted to the electors of the City of Perrysburg, Wood County, Ohio, November 7, 2023, general election.

SECTION 4. The Clerk is hereby directed to certify, not less than ninety (90) days prior to the election, to the Board of Elections, Wood County, Ohio, a copy of the resolution of Necessity and copy of this Resolution together with the certification of the Wood County Auditor, and notify the Board of Elections to cause notice of election on the question of levying the tax to be given as required by law.

SECTION 5. It is found and determined that all formal actions of Council concerning or relating to the passage of this Resolution were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 6. This Resolution is declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the City, and for the further reason that this ordinance is necessary to permit the City to timely move forward with the process of submitting this issue to the Wood County Board of Elections and Ohio Secretary of State; wherefore, this ordinance shall be in full force and effect immediately upon its passage.

President of Council

Mayor

PASSED: _____

RES 53-2023

ATTEST: _____

APPROVED: _____

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy Effler, Law Director

RE: Resolution 54-2023

DATE: May 12, 2023



Subject Matter/Background

The Finance Department is submitting a list of items requiring a Then & Now Certificate. Such certificate certifies that both at the time of the making of the contract or order and at the date of the execution of this certification, the amount requested was appropriated for such contract or order and is in the treasury or in the process of collection and free from any previous encumbrances. Any time a purchase is made before a purchase order is issued, a then and now situation is created.

Certificates for purchases greater than or equal to \$3,000, that were not already approved on a purchase order, are required to be approved by Council per ORC 5705.41.

Some of these various purchases are:

1. Employee Training Services - \$15,000.00
2. Tree Removal – \$3,500.00
3. Pest Control Services - \$5,985.00

The total for all items totals \$24,485.00

Financial Review

The funds for Employee Training Services are available in line item 5331.61814.53405

The funds for Tree Removal are available in line item 2236.71645.53999

The funds for Pest Control Services are available in line item 1110-11047-53825

Legal Review

This legislation has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the rules, waive the three readings and pass this legislation as an emergency is appropriate. An Emergency is requested to ensure proper compliance the State of Ohio Auditors rules for Then and Now.

RESOLUTION 54-2023

A RESOLUTION TO APPROVE THEN AND NOW CERTIFICATES IN THE AMOUNT OF TWENTY-FOUR THOUSAND FOUR HUNDRED EIGHTY-FIVE DOLLARS (\$24,485.00) AS ATTACHED IN EXHIBIT A FOR THE CITY OF PERRYSBURG; AND DECLARING AN EMERGENCY

WHEREAS, The Ohio Revised Code 5705.41(D)(1) provides that if prior certification of funds by the Fiscal Officer was not obtained before the contract or order involving the expenditure of money was made, then the Fiscal Officer may instead certify; and

WHEREAS, that there was at the time of making such contract or order and at the time of the execution of such certificate, a sufficient sum appropriated for the purpose of such contract and in the treasury or in process of collection to the credit of an appropriate fund, free from any encumbrances; and

WHEREAS, the Fiscal Officer is accordingly certifying that there were appropriations available and the funds in the treasury or in the process of collection at the time of the contract or order were made (then), and there are still sufficient appropriations and funds in the treasury or in the process of collection at the time the certificate is being issued (now); and

WHEREAS, the amount of the certificates exceeds \$3,000.00.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. It is hereby certified that both at the time of the making of the attached contract(s) or order(s) and at the date of the execution of this certificate, the amount of funds required to pay for this contract(s) or order(s) had been appropriated for the purpose of this contract or order, attached hereto, and is in the treasurer or in the process of collection to the credit of the fund free from any previous encumbrances.

SECTION 2. It is found and determined that all formal actions of Council concerning or relating to the passage of this Resolution were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 3. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the citizens of the City of Perrysburg, Wood County, Ohio; and so that the certificate meets the timeliness requirements of the Ohio State Auditor; this Resolution shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____

Then and Now Requests For

5/9/2023

Invoice Date	Vendor	Item	Total Cost	Department
2/6/2023	Operator Training Committee	Employee Training	15,000.00	DPU
3/24/2023	Rose Pest Solutions	Pest Control	5,985.00	Service
4/12/2023	Lake Erie Tree Service	Tree Removal	3,500.00	Service
	TOTAL		24,485.00	

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Resolution 55-2023

DATE: May 12, 2023



Subject Matter/Background

Resolution 55-2023 is to accept the donation from Bon Secours Mercy Health in the amount of Two Thousand Three Hundred Thirty-Two Dollars (\$2,332.00), with these funds to be used to procure the specified equipment.

This resolution was approved by the Finance Committee 3-0 to forward to City Council.

Financial Review

There is no funding needed for this resolution.

Legal Review

This resolution has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Resolution as an Emergency is recommended.

RESOLUTION 55-2023

A RESOLUTION AUTHORIZING THE MAYOR TO ACCEPT THE FUNDS DONATED BY BON SECOURS MERCY HEALTH FOR THE PURCHASE OF SAFETY EQUIPMENT; AND DECLARING AN EMERGENCY

WHEREAS, Bon Secours Mercy Health had identified a community need for equipment to distribute to participants in the Safety Town program; and,

WHEREAS, Bon Secours Mercy Health has made a financial donation to the City to procure helmets for the Safety Town program;

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. The Mayor is hereby authorized to accept the donation from Bon Secours Mercy Health in the amount of Two Thousand Three Hundred Thirty-Two Dollars (\$2,332.00), with these funds to be used to procure the specified equipment.

SECTION 2. It is found and determined that all formal actions of Council concerning or relating to the passage of this Resolution were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 3. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the citizens of the City of Perrysburg, Wood County, Ohio; and so that the donation can be accepted; this Resolution shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED: _____

ATTEST: _____

APPROVED: _____



May 9, 2023

Chief Patrick Jones
Department of Public Safety
330 Walnut Street
Perrysburg, OH 43551

Dear Chief Jones,

This letter is to express support in our donation to the City of Perrysburg for the purchase of bike helmets for the Safety Town participants.

The donation aligns with our mission in supporting families and children through safety, values, and health awareness.

Thank you for considering Mercy Health as your partner in this initiative.

Sincerely,

A handwritten signature in blue ink, appearing to read "MS", is positioned above the printed name and title.

Matt Sapara
VP Business Development and Advocacy

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Ordinance 16-2023

DATE: May 12, 2023



Subject Matter/Background

Ordinance 16-2023 is to levy a special assessment to cover the cost and expense of lighting streets, alleys, ways, and public places in the City of Perrysburg, Wood County, Ohio, as well as the cost of furnishing the electricity necessary to do so, shall be paid by special assessments levied upon all lots and lands within the City, except those owned by the United States government.

Such special assessment shall be levied and assessed by a percentage of the tax value of the property assessed in the amount of .3 mills; shall be payable annually in two equal installments during the period of the assessment; and shall be and hereby are levied on all lots and lands in the City, except those owned by the United States government, for the years 2023 and 2024.

Financial Review

There is no funding needed for this Ordinance.

Legal Review

This Ordinance has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Ordinance as an Emergency is recommended.

ORDINANCE 16-2023

AN ORDINANCE LEVYING SPECIAL ASSESSMENTS FOR THE PURPOSE OF LIGHTING STREETS, ALLEYS, WAYS AND OTHER PUBLIC PLACES IN THE CITY OF PERRYSBURG AND DECLARING AN EMERGENCY

WHEREAS, the Council of the City of Perrysburg, Wood County, Ohio, has provided for the lighting of streets, alleys, ways, and other public places in the City and has financed this lighting by special assessments which are levied on all of the lots and lands in the City (except those owned by the United States government) and which are based on a percentage of the tax valuation of the property assessed; and,

WHEREAS, it is deemed reasonable, appropriate, and advisable in 2023 to provide lighting in public places throughout the City, to provide the electricity necessary to do so, and to continue financing this through special assessments.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO, with three-fourths (3/4) of all members elected in Council concurring:

SECTION 1. The cost and expense of lighting streets, alleys, ways, and public places in the City of Perrysburg, Wood County, Ohio, as well as the cost of furnishing the electricity necessary to do so, shall be paid by special assessments levied upon all lots and lands within the City, except those owned by the United States government.

SECTION 2. Such special assessment shall be levied and assessed by a percentage of the tax value of the property assessed in the amount of .3 mills; shall be payable annually in two equal installments during the period of the assessment; and shall be and hereby are levied on all lots and lands in the City, except those owned by the United States government, for the years 2023 and 2024.

SECTION 3. The City's Director of Finance is directed to certify this special assessment to the Auditor of Wood County, Ohio, to be collected as other taxes are collected and paid.

SECTION 4. The Clerk of Council shall cause a notice of the passage of this ordinance to be published once in a newspaper of general circulation in this City and shall keep on file in the office of the Clerk of Council the special assessments.

SECTION 5. It is hereby found and determined that all formal actions of Council concerning or relating to the passage of this Ordinance were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 6. This Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the residents of the City of Perrysburg, Wood County, Ohio and shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Ordinance 17-2023

DATE: May 12, 2023



Subject Matter/Background

Ordinance 17-2023 is to assess the cost of improvement of certain public places in the City by lighting in accordance with the Resolution 21-2023. These costs shall be assessed in the manner and pursuant to the payment schedules set forth, and on the lots and lands described in the Resolution.

The improvement shall be made in accordance with the provisions of the Resolution and with the plans, specifications, profiles and estimate of cost previously approved and now on file in the office of the Clerk of Council

Financial Review

There is no funding needed for this Ordinance.

Legal Review

This Ordinance has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Ordinance as an Emergency is recommended.

ORDINANCE 17-2023

AN ORDINANCE DETERMINING TO PROCEED WITH THE IMPROVEMENT OF CERTAIN PUBLIC PLACES IN THE CITY BY LIGHTING AND DECLARING AN EMERGENCY

WHEREAS, the City Council has adopted Resolution 21-2023 on February 21, 2023 (the Resolution), declaring the necessity of making the improvement described in Section 1.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. It is determined to proceed with and complete the improvement of certain public places in the City by lighting.

SECTION 2. The improvement shall be made in accordance with the provisions of the Resolution and with the plans, specifications, profiles and estimate of cost previously approved and now on file in the office of the Clerk of Council.

SECTION 3. There have been no claims for damages legally filed, and the Director of Law is authorized and directed to institute legal proceedings in a court of competent jurisdiction to inquire into future claims if necessary.

SECTION 4: The portion of the cost of the improvement to be assessed in accordance with the Resolution shall be assessed in the manner and pursuant to the payment schedules set forth, and on the lots and lands described in the Resolution.

SECTION 5. The estimated special assessments previously prepared and filed in the office of the Clerk of Council are adopted.

SECTION 6. The Clerk of Council shall deliver a certified copy of this ordinance to the County Auditor within 15 days after its passage.

SECTION 7: It is found and determined that all formal actions of Council concerning or relating to the passage of this Ordinance were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 8. This Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the residents of the City of Perrysburg, Wood County, Ohio and shall be in

full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Ordinance 16-2023

DATE: May 12, 2023



Subject Matter/Background

Ordinance 16-2023 is to levy a special assessment to cover the cost and expense of the removal or special treatment of certain shade trees for the purpose of controlling the blight and disease and for planting, maintaining, trimming and removing of other shade trees in and along the streets and within the public rights-of-way of, there shall be and hereby is placed an assessment. Said assessment shall be assessed upon the lots and lands bounding and abutting upon the streets and public rights-of-way in said district; and, set opposite the description of the respective lots and lands whereas City Council does hereby determine and declare that said lots and lands are specifically benefitted in the amounts so assessed against the same.

Such special assessment shall be levied and assessed by a percentage of the tax value of the property assessed in the amount of .1 mills. The owners of said several lots and parcels of land shall pay the sum so assessed in two (2) equal installments during the period of the assessment to the Treasurer of Wood County, Ohio, at the same time and in the same manner as other taxes are paid, or be subject to penalty and interest to be paid thereon as provided by law.

Financial Review

There is no funding needed for this Ordinance.

Legal Review

This Ordinance has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Ordinance as an Emergency is recommended.

ORDINANCE 18-2023

AN ORDINANCE LEVYING SPECIAL ASSESSMENTS FOR THE REMOVAL AND SPECIAL TREATMENT OF SHADE TREES AND CONTROLLING THE BLIGHT AND DISEASE OF SAME AND FOR PLANTING, MAINTAINING, TRIMMING AND REMOVING SHADE TREES IN AND ALONG THE STREETS AND WITHIN PUBLIC RIGHTS-OF-WAY OF THE CITY OF PERRYSBURG AND DECLARING AN EMERGENCY

WHEREAS, through Ordinance 43-86, City Council for the City of Perrysburg, Ohio, established one district for the purpose of removing or specially treating therein shade trees for the purpose of controlling the blight and disease of same and for planting, maintaining, treating and removing shade trees in and along the streets and public rights-of-way of the City during the year 1986 and the years thereafter; and,

WHEREAS, City Council has determined that the value of the properties in this district are and will be enhanced and improved by this work; and,

WHEREAS, pursuant to Ordinance 43-86, City Council provided that part of the cost and expense connected with said work in said district shall be levied and assessed by a percentage of the tax valued of the property assessed.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO, with three-fourths (3/4) of all members elected in Council concurring:

SECTION 1. To pay the cost and expense of the removal or special treatment of certain shade trees for the purpose of controlling the blight and disease and for planting, maintaining, trimming and removing of other shade trees in and along the streets and within the public rights-of-way of, there shall be and hereby is placed an assessment. Said assessment shall be assessed upon the lots and lands bounding and abutting upon the streets and public rights-of-way in said district; and, set opposite the description of the respective lots and lands whereas City Council does hereby determine and declare that said lots and lands are specifically benefitted in the amounts so assessed against the same.

SECTION 2. Such special assessment shall be levied and assessed by a percentage of the tax value of the property assessed in the amount of .1 mills. The owners of said several lots and parcels of land shall pay the sum so assessed in two (2)

equal installments during the period of the assessment to the Treasurer of Wood County, Ohio, at the same time and in the same manner as other taxes are paid, or be subject to penalty and interest to be paid thereon as provided by law.

SECTION 3. The City's Director of Finance is directed to certify this special assessment to the Auditor of Wood County, Ohio, to be, by him, placed upon the grand tax duplicate of said County for the year 2023, for collection in 2024, against said lots and lands respectively to be collected at the same time and in the same manner as other taxes are collected.

SECTION 4. The Clerk of Council shall cause a notice of the passage of this ordinance to be published once in a newspaper of general circulation in this City and shall keep on file in the office of the Clerk of Council the special assessments.

SECTION 5. It is hereby found and determined that all formal actions of Council concerning or relating to the passage of this Ordinance were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 6. This Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the residents of the City of Perrysburg, Wood County, Ohio and shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____

ORD 18-2023

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Ordinance 19-2023

DATE: May 12, 2023



Subject Matter/Background

Ordinance 19-2023 is to assess the cost of improvement of providing for the removal and special treatment of shade trees and controlling the blight and disease of same and for planting, maintaining, trimming and removing shade trees in and along the streets and within public rights-of-way of the City of Perrysburg in accordance with the Resolution 21-2023. These costs shall be assessed in the manner and pursuant to the payment schedules set forth, and on the lots and lands described in the Resolution.

The improvement shall be made in accordance with the provisions of the Resolution and with the plans, specifications, profiles and estimate of cost previously approved and now on file in the office of the Clerk of Council

Financial Review

There is no funding needed for this Ordinance.

Legal Review

This Ordinance has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Ordinance as an Emergency is recommended.

ORDINANCE 19-2023

AN ORDINANCE DETERMINING TO PROCEED WITH THE REMOVAL AND SPECIAL TREATMENT OF SHADE TREES AND CONTROLLING THE BLIGHT AND DISEASE OF SAME AND FOR PLANTING, MAINTAINING, TRIMMING AND REMOVING SHADE TREES IN AND ALONG THE STREETS AND WITHIN PUBLIC RIGHTS-OF-WAY OF THE CITY OF PERRYSBURG AND DECLARING AN EMERGENCY

WHEREAS, the City Council has adopted Resolution 22-2023 on February 21, 2023 (the Resolution), declaring the necessity of making the improvement described in Section 1.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. It is determined to proceed with and complete the improvement of providing for the removal and special treatment of shade trees and controlling the blight and disease of same and for planting, maintaining, trimming and removing shade trees in and along the streets and within public rights-of-way of the City of Perrysburg.

SECTION 2. The improvement shall be made in accordance with the provisions of the Resolution and with the plans, specifications, profiles and estimate of cost previously approved and now on file in the office of the Clerk of Council.

SECTION 3. There have been no claims for damages legally filed, and the Director of Law is authorized and directed to institute legal proceedings in a court of competent jurisdiction to inquire into future claims if necessary.

SECTION 4: The portion of the cost of the improvement to be assessed in accordance with the Resolution shall be assessed in the manner and pursuant to the payment schedules set forth, and on the lots and lands described in the Resolution.

SECTION 5. The estimated special assessments previously prepared and filed in the office of the Clerk of Council are adopted.

SECTION 6. The Clerk of council shall deliver a certified copy of this ordinance to the County Auditor within 15 days after its passage.

SECTION 7: It is found and determined that all formal actions of Council concerning or relating to the passage of this Ordinance were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 8. This Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the residents of the City of Perrysburg, Wood County, Ohio and shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Patrick Jones, Director of Public Safety

RE: Resolution 31-2023

DATE: March 1, 2023



Subject Matter/Background

Resolution 31-2023 authorizes the purchase of a new Braun Chief LX, Ford F-550 4x4 diesel chassis ambulance at a purchase price not to exceed \$386,148.00. This emergency vehicle is budgeted for purchase in the 2023 budget. Current lead times for this ambulance to be built is up to two years, due to ongoing supply chain issues.

This ambulance will replace a 2019 Kenworth ambulance that will be repurposed as, and is better suited as, a technical rescue vehicle. The Fire Division is requesting to purchase an emergency vehicle that has a Ford cab and chassis and a Braun box on the back. The dealer is Penn Care, therefore, the dealer is the contractor in the legislation. Pricing for this ambulance is under Ohio State Term pricing contract 009362.

This resolution was approved by the Safety Committee 3-0 to forward to City Council.

Financial Review

The funds are available in line item 4403.21233.55600.

Legal Review

This resolution has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Resolution as an Emergency is recommended.

RESOLUTION 31-2023

A RESOLUTION AUTHORIZING A PURCHASE AGREEMENT WITH PENN CARE NOT TO EXCEED THREE HUNDRED EIGHTY- SIX THOUSAND, ONE HUNDRED FORTY-EIGHT DOLLARS (\$386,148.00) FOR THE PURCHASE OF A BRAUN CHIEF XL, FORD F-550 4X4 DIESEL CHASSIS AMBULANCE FOR THE PERRYSBURG FIRE DIVISION AND DECLARING AN EMERGENCY

WHEREAS, it is necessary for the safety and security of the City of Perrysburg that the City of Perrysburg Fire Division have the necessary equipment to respond to medical emergencies,

WHEREAS, a replacement emergency vehicle is necessary at this time to enable the City of Perrysburg Fire Division to respond efficiently to medical emergencies; and,

WHEREAS, this emergency vehicle would replace a 2019 Kenworth ambulance that would be repurposed and better suited as a technical rescue equipment vehicle; and,

WHEREAS, the State of Ohio, Department of Administrative Services, State Purchase Program is available for such equipment, and

WHEREAS, Penn Care provides such equipment through the State Purchase Program.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. The Mayor and Director of Finance are authorized to enter into an agreement with Penn Care to purchase a Braun Chief XL, Ford F-550 4x4 diesel chassis ambulance at a cost not to exceed Three Hundred Eighty-Six Thousand, One-Hundred Forty-Eight Dollars (\$386,148.00) in accordance with the proposal attached hereto as Exhibit A.

SECTION 2. It is found and determined that all formal actions of Council concerning or relating to the passage of this Resolution were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 3. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the citizens of the City of Perrysburg, Wood County, Ohio, in order to allow for the immediate purchase of the emergency vehicle for the safety of the City of Perrysburg, and shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____



Emergency Vehicle Purchase Agreement
May 8, 23

Purchaser:

City of Perrysburg
26100 Fort Meigs Rd.
Perrysburg, OH 43551

Seller:

Penn Care, Inc.
1317 North Rd.
Niles, OH 44446

The City of Perrysburg intends to purchase through the Ohio Department of Administrative Services State Term Schedule purchasing program from Penn Care Inc., two (2) Braun Chief XL vehicles on the Ford F-550 4x4 Diesel Chassis, as designed per the attached specifications, and when applicable, technical drawings, graphic design and other required documents. Additions, deletions and/or changes must be approved by all parties in writing and may cause delays in deliveries and additional charges to the purchaser.

PRICING

Ambulance Conversion:	\$308,991.00
Chassis Price (Estimate Only):	\$77,156.00
Graphics:	None
Additional Equipment:	None
FIN Rebate (Estimate Only):	TBD

Total Per Unit Due at Delivery: \$386,148.00

**CHASSIS AVAILABILITY, PRICING, AND
MANUFACTURES INCENTIVE:**

Chassis year, price and manufactures incentives are priced as budgetary estimations ONLY and will not be finalized until the chassis arrives at the ambulance manufacturing facilities.

DELIVERY TIMES

Quoted lead times and delivery expectations quoted by Penn Care, Inc. are approximate and not guaranteed. Quoted lead times will be extended for Change Orders, delays from the chassis OEM and Force Majeure.

TRADE DESCRIPTION:

TRADE-IN TERMS AND APPRAISAL



Where Purchaser wishes to trade-in a used motor vehicle as part of the consideration for the motor vehicle ordered, Seller may appraise the trade-in at the time of the execution of this order by Purchaser. Seller also reserves the right to reappraise the trade-in at the time of delivery. The seller shall not alter a Trade-In appraisal from the time of the initial appraisal until the time of delivery unless:

- 1) Intervening factors indicate an apparent decrease in the value of the value of the trade-in over and above ordinary wear and tear
- 2) A change occurs in the mechanical performance of the vehicle
- 3) Emergency, medical, and/or other equipment/components have been removed that were not previously discussed and agreed to in writing
- 4) The Seller has made any misrepresentation of the vehicle and/or components to Penn Care, Inc.

WARRANTY

No representation has been made by Penn Care, Inc., except as herein stated and no warranties, expressed or implied, may arise except from this writing. All warranties are issued by the chassis manufacturer, the ambulance builder, and/or component parts suppliers and Penn Care, Inc. shall have no liability with respect to warranties issued by the chassis manufacturer, the ambulance builder, and component parts suppliers. Used vehicles are "as is" and have no warranty.

INVOICING AND PAYMENT

Unless otherwise agreed to in writing, Penn Care, Inc. will invoice the Purchaser 30 days prior to the scheduled delivery date. Upon completion of production and quality inspection by the Purchaser the vehicle is declared ready for delivery and payment will be due upon acceptance and/or delivery.

PAYMENT OF SALES AND USE TAXES

The price for the motor vehicle specified in this agreement does not include Sales Taxes and Use Taxes (Federal, State, or Local) unless expressly stated. Purchaser assumes and agrees to pay, unless prohibited by law, and such Sales, Use, or Occupational Taxes imposed on or applicable to the transaction covered by this agreement, regardless of which party may have primary tax liability.

ACCEPTANCE

When requesting a final inspection the Purchaser shall inspect the vehicle(s) within 10-days of notification of completion of production. Vehicles not inspected by buyer will be deemed complete and ready for delivery, and payment will be due upon delivery. Items and issues discovered after the 10-day window shall not hold up payment from buyer to Penn Care Inc., these issues will be handled as warranty claims following the normal procedures.

PAYMENT AND TITLE

All payments shall be made in U.S. dollars either by certified check or wire transfers, credit card payments are not acceptable without prior written authorization (fees will apply). Payment terms are COD, unless otherwise agreed to in writing by Penn Care, Inc. Interest terms begin 16-days from date of delivery and are charged at a rate of prime plus 6%. MSO and title are released to Purchaser upon payment in full, including any related interest, shipping expenses, and other related costs and expenses to Penn Care Inc. or to the appointed floor plan financing company.

As collateral security for the payment of the purchase price of the Vehicles, Buyer hereby grants to Penn Care Inc., a lien on and security interest in and to all of the right, title, and interest of Purchaser in, to, and under the Vehicles, wherever located, and whether now existing or hereafter arising or acquired from time to time, and in all accessions thereto and replacements or modifications thereof, as well as all proceeds, including insurance proceeds, of the foregoing. The security interest granted under this provision constitutes a purchase money security interest under the Ohio Uniform Commercial Code.

CANCELLATION

Penn Care, Inc., may, in its sole discretion, and without liability or penalty, cancel this order at its sole discretion. Once Penn Care's manufactures commence engineering, no cancellation of this order is permitted, and the full purchase price is due and payable to Penn Care, Inc. Notwithstanding other provisions of this Agreement, and in addition thereto, Penn Care, Inc. shall be entitled to its reasonable and anticipated lost profit from such cancellation.

FORCE MAJEURE

Penn Care, Inc. shall not be liable or responsible to Purchaser, nor be deemed to have defaulted or breached these Terms and Conditions, for any failure or delay in fulfilling or performing any of these Terms and Conditions when and to the extent such failure or delay is caused by or results from acts or circumstances beyond the reasonable control of Penn Care, Inc., and/or the manufactures which Penn Care, Inc. represents including, without limitation, acts of God, flood, fire, earthquake, explosion, governmental actions, war, invasion or hostilities, terrorist threats or acts, riot or other civil unrest, national emergency, revolution, insurrection, epidemic, lockouts, strikes or other labor disputes (whether or not relating to either party's workforce), restraints or delays affecting carriers, inability or delay in obtaining supplies of adequate or suitable materials, or telecommunication breakdown, or power outage.

DEFAULT/ATTORNEY'S FEES



Purchaser is in default of the Terms and Conditions if any of the following occurs (except as prohibited by law): (i) Purchaser fails to perform any obligation that Purchaser has undertaken in these Terms and Conditions; or (ii) Penn Care, Inc., in good faith, believes that Purchaser cannot, or will not, pay or perform the obligations it has agreed to in the Terms and Conditions.

If Purchaser defaults, or in the event Penn Care, Inc. brings an action or proceeding to enforce the terms hereof or declare rights hereunder, Purchaser agrees to pay Penn Care, Inc. costs for collecting amounts owing, including, without limitation, court costs, attorney's fees (for attorneys who are not our salaried employees), and fees for repossession, repair, storage, and sale of Vehicles, all without relief from valuation and appraisal laws.

GOVERNING LAW

All of terms and provisions of the agreement and the rights and obligations of the parties hereto shall be interpreted and enforced in accordance with the laws of the State of Ohio.

REMEDIES

If Purchaser is in default of these Terms and Conditions, Penn Care, Inc. shall have all the remedies provided by law in these Terms and Conditions: (i) Penn Care, Inc. may require Purchaser to immediately pay Penn Care, Inc., subject to any refund required by law, the remaining unpaid balance due; (ii) Penn Care, Inc. may require Purchaser to make the Vehicle available to Penn Care, Inc. at a designated place that is reasonably convenient to each party; (iii) Penn Care, Inc. may immediately take possession of the Vehicle by legal process or self-help, but in doing so Penn Care, Inc. may not breach the peace or unlawfully enter onto Purchaser's premises; (iv) Penn Care, Inc. may then sell the Vehicle and apply what it receives as provided by law to Penn Care, Inc. reasonable expenses and then toward Purchaser's obligations; and (v) Except when prohibited by law, Penn Care, Inc. may sue Purchaser for additional amounts if the proceeds of a sale do not pay all of the amounts Purchaser owes to Penn Care, Inc. By choosing any one or more of these remedies, Penn Care, Inc. does not waive its right to use another remedy. By deciding not to use any remedy, Penn Care, Inc. does not give up its right to consider the event a default if it happens again.

PURCHASER

Signature: _____

Name/Title: _____

Date: _____



Quotation Summary

Travis Krieger 3 Braun Proposals 2023-05-09 18-50-39

Reference: QU00000006907 **Rev:** 3

Purchaser: Penn Care

Contact: Taylor Pease

Address: 1317 North Road

Niles, OH

Telephone:

Opportunity: Perrysburg FD

Account: Perrysburg FD

Contact: Joel Whitmore

Shipping

Address:

,

Currency: USD

Quotation Date: 2023-03-20

Expiration: 2023-04-19

Sales Contact: Travis Krieger

Mobile: 330-696-3066

Phone: 330-696-3066

Factory Contact: Kris Turner

Mobile:

Name

Chief XL Type I

Specifications

-72" Headroom

-169"L Full Seam Welded Module



Product	Description	Quantity	Unit Net	Total Net
CHFSLI	169" long x 96" wide module with 72" headroom.	2.00		

Price Details

Price

Chassis	77,156.00
Base and options	238,857.00
Custom Options	70,135.00
List Price Per Unit	386,148.00

* Estimated freight (to be re-evaluated at time of shipping)



Sales Options by Category

Braun - KKK Change Notice

Item Number	Name	Quantity	Price
00-01-0001	GENERAL CONDITIONS	1.00	Included
00-01-0006	DYNAMIC SIDE IMPACT & ROLLOVER TESTS	1.00	Included
00-01-0017	BIDDER IS KKK-A-1822F AMENDMENT 1 COMPLIANT	1.00	Included
80-10-0000	KKK-A-1822F COMPLIANCE PACKAGE KKK-A-1822F compliance sticker, electrical load analysis sticker, and payload sticker shall be installed in the oxygen compartment. Any deviations from KKK-A-1822F shall be listed in the vehicle delivery packet with a notation on the-compliance sticker.	1.00	Included
00-01-0029	CONTRACT REQUIRED STS, HGAC, FSA, SOURCEWELL or GPO contract required	1.00	Included

Braun - Chassis

Item Number	Name	Quantity	Price
SR00137422	AIR HORNS - BUELL DUAL TRUMPETS 10" and 12" THRU BUMPER W/ LANYRD Air Horn - (Buell) dual trumpets, one (1) 10" and one (1) 12", mounted thru front bumper, one each side, compressor per drawing. The air horns shall be activated by a push button located on the MCC (master control console) and by a lanyard cable installed in the OEM cab headliner area, unless otherwise stated	1.00	2,617.00
SR00137427	CUSTOMER SUPPLIED SECURE 3 KEY KNOX BOX-MCC: Braun is to install a customer supplied secure 3 key Knox Box (08796-2) to the cab console. Per console layout.	1.00	479.00
SR00137434	CODE 3 VITAL VIO DECONTAMINATION SYSTEM PCL-LED-VV PATIENT LIGHT VV, 48LED, 12-24VDC (BARE LEADS) Install (2) Code 3 Vital Vio Antimicrobial Light Disinfection units in cab Headliner.	1.00	1,267.00
SR00137472	SIREN SPEAKERS, CAST PRODUCTS - IN FRONT BUMPER Two (2) Cast Products - 100-watt siren speakers, shall be installed in the the front bumper.	1.00	Included



SR00141249	CHIEF XL I AMBULANCE MODULE MY2025 Type I - Ambulance - Chief XL I Ford - 173" module length with 74" headroom. Manufactured in Van Wert, Ohio, USA	1.00	Included
SR00152318	BUMPER/GRILLE GUARD BUCKSTOP Install a Buckstop Outback Bumper/Grille Guard, Black	1.00	6,699.00
00-01-0040	Administration Fee	1.00	Included
CH_F4550L	CHASSIS - FORD F550 193" WB 4X4 DRW (108 C.A.) DIESEL ENGINE FORD F550 CHASSIS CAB, 193" WB 4X4 DRW (108" C.A.)	1.00	77,156.00
15-00-0010	FUEL TANK - FULL UPON FACTORY RELEASE The chassis fuel tank of the completed unit shall be full at time of release from the ambulance manufacturer's facility.	1.00	Included
20-10-0603	ENGINE BLOCK HEATER - OEM PLUG An engine block heater shall be included in the chassis with the 125 VAC power cord.	1.00	Included
20-20-0252	HEAT SHIELDS, PROTECTIVE Install: aluminized steel protective heat shields to the upper laterals above the exhaust system.	1.00	Included
20-20-0277	HIGH IDLE SYSTEM, AUTOMATIC A high-idle module will be added to the chassis. The high idle will be engaged automatically by the M-Tech system when all chassis parameters are met. Chassis parameters include but not limited to vehicle in park, service brake not depressed, accelerator not depressed, parking brake set. High-idle is also activated by the M-Tech heat or A/C.	1.00	Included
20-01-0105	SUSPENSION - LIQUID SPRING TYPE I Install: Liquid Spring	1.00	Included
20-10-0206	BATTERY - TWO SYSTEM - F SERIES CHASSIS The vehicle shall have a 12 V two (2) battery system rated at 1500 cold cranking amps. Both batteries shall be securely installed in the Ford OEM locations, under the vehicle hood.	1.00	Included
20-21-0101	FLOOR CONSOLE F450/F550 STANDARD CONSOLE - ALUMINUM	1.00	Included



PLEASE NOTE: Console drawings are for reference only and do not include all features depicted on the drawings. All consoles shall be designed, priced, and approved internally to allow for accurate BOM pricing. The prices shown are estimated for general budget pricing only and pricing is subject to design; must contact manufacturer for pricing validation.			
20-10-0112	INBOARD ARM RESTS FOR ALUMINUM CONSOLE Install: inboard arm rests in the cab. (arm rests Havis Shields C-ARM-102 mount to the aluminum floor console)	1.00	Included
30-10-0030	BACKUP ALARM Install: (OSHA approved) back up alarm with a disable control for silent backing, located on the MCC (master control console).	1.00	Included
20-30-0806	RUNNING BOARDS - STAR PUNCHED DIAMOND PLATE Aluminum diamond plate running boards with a star punched non-skid surface shall be provided on the cab. The running boards shall be dip anodized after they are formed to retain finish and increase corrosion resistance.	1.00	Included
40-10-0117	DEF TANK FILL PROTECTOR - STAINLESS STEEL Install: stainless steel DEF tank fill protector per drawing.	1.00	110.00
40-10-0112	FUEL FILL PROTECTOR - STAINLESS STEEL Install: stainless steel fuel fill protector per drawing.	1.00	110.00
30-25-0204	LIGHTS RUNNING BOARD -WHELEN 2 inch round-LED Install: (1) pair of Whelen white TOCACCOR LED lights with black grommets, (1) each side, low on the module front, as running board lights, activated with the cab door switches. per dwg # 1 (Braun part #18105 Light and #18106 Grommet).	1.00	Included
20-30-0202	MIRRORS, EXT OEM MANUAL TELESCOPING W/REMOTE & HEAT The chassis shall have OEM manual telescoping, folding trailer tow mirrors with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals.	1.00	Included
20-30-0261	OEM AUTO-LOCK DISABLED (cab & module doors do not auto lock or unlock) The OEM auto-lock feature will be disabled.	1.00	Included
20-20-0281	SECURITY SYSTEM - ANTI THEFT- IGNITION OVER RIDE Install Sound Off Ignition security system. (ignition over	1.00	473.00



	ride) -----		
30-10-0753	SIREN, WHELEN 295-HFSA7-REMOTE WITH MICROPHONE (Meets CA Title 13) A Whelen 295-HFSA7 remote dual siren amplifier shall be flush-mounted in the master control console located in the cab. The siren shall be capable of hands-free operation and shall be equipped with a noise canceling microphone. (Meets CA Title 13) -----	1.00	Included
20-40-0203	WHEELS, FORGED POLISHED ALUMINUM - 19.5 - F450/550 193" WB Forged, polished aluminum wheels shall be provided, to include bright hub covers and center ornaments and valve stem extensions. -----	1.00	Included
Braun - Electrical			
Item Number	Name	Quantity	Price
SR00137418	OEM AUXILLARY SWITCHES, FLOODLIGHT ACTIVATION External change: Ford OEM aux switches to activate the floodlights. Furthest left switch shall activate the street side PFH2 flood light. The next switch to the right shall activate the front flood light. The next switch to the right shall activate the curbside PFH2 flood light. (SR137444) -----	1.00	278.00
SR00137432	LOCKS POWER - PASSAGE, COMPARTMENTS, KEY FOBS Power door locks on module passage doors, and (6) OSS compartments, use OEM key fobs. -----	1.00	Included
SR00137475	SYSTEM ACTIVE AND CHECK OUT LIGHTS -15 MINUTES Switch: located at the curb and rear entry doors for activation of the V-MUX electrical system, check out light switch located at the curb and rear doors for activation of the left LED angled lights prior to entering the module, system programmed to shut down automatically after 15 minutes unless the ignition is on. -----	1.00	Included
SR00137479	LIGHTS, OSS COMPARTMENTS - RIDGEBACK LED STRIP LIGHTING: Each outside storage compartment Ridgeback LED strip lighting located one each side of the door opening, activated by a magnetic switch, excluding battery compartment. Lengths dependent on OSS dimensions. -----	1.00	Included
SR00154109	LIGHTS, INTERIOR CABINETS, RIDGEBACK 12V LED STRIP LIGHT, BLUE All polycarbonate door(s), interior cabinets shall have Ridgeback 12V blue LED strip lights	1.00	1,195.00



	for interior compartment lighting.		
30-06-0004	----- ELECTRICAL SYSTEM - WELDON V-MUX, MICRO PROCESSOR BASED Install: Weldon V-MUX 100% solid state microprocessor based multiplex system. -----	1.00	Included
30-10-0110	----- ELECTRICAL CIRCUITS All electrical circuits: shall have wiring and circuit protection suitable to the demand and must meet the national electric code (NEC) wiring requirements, added on wiring (18 GA through 10 GA) color coded and stamped with code numbers for easy identification, SLX high temperature thermoplastic cross link wire used. SGX insulated cable used for all under hood / underbody battery and charging system cable. High temperature (375° f) thermoplastic loom used on all harnesses. -----	1.00	Included
30-06-0126	----- ELECTRICAL COMPARTMENT (PDQ) - MULTIPLEX ELECTRICAL SYSTEM Electrical compartment / hinged door w/ (2) chrome locking lever latches/ located on the partition wall behind the attendant seat. -----	1.00	Included
30-06-0325	----- FLASHER - MULTIPLEX ELECTRICAL SYSTEM Provide: Flasher within and programmed by the multiplex electrical system. -----	1.00	Included
30-06-0350	----- FLASHING HEADLIGHTS - MULTIPLEX ELECTRICAL SYSTEM Headlights (high beams) shall be programmed through the multiplex system to alternate flash (wig-wag). -----	1.00	Included
30-10-0190	----- GROUND FAULT CIRCUIT INTERRUPTER-GFCI Install: A 125 VAC, 20 AMP circuit breaker with ground fault circuit interrupter (GFCI) electronic ground leakage detection in the load center for the shoreline circuit. -----	1.00	Included
30-06-0285	----- MODULE DISCONNECT - MULTIPLEX ELECTRICAL SYSTEM Install: In-Power disconnect to keep the system power engaged after the ignition is switched to the "off" position. -----	1.00	Included
30-06-0575	----- REVERSE -TRANSMISSION- FUNCTIONS - MULTIPLEX ELECTRICAL SYSTEM System programmed to provide activation for: rear outboard warning lights, rear side warning lights, rear scene lights, the rear side scene lights - when the	1.00	Included



	transmission selector lever is placed into "reverse" position. -----		
30-06-0150	SPARE CIRCUIT - MULTIPLEX ELECTRICAL SYSTEM Provide (1) spare 15-amp circuit. -----	1.00	Included
30-06-0175	WIRING HARNESS CONNECTORS - MULTIPLEX ELECTRICAL SYSTEM Connect all wiring harnesses via quick connect circular plug connectors. -----	1.00	Included
30-06-0300	VOLTMETER - MULTIPLEX ELECTRICAL SYSTEM Provide: (1) digital voltmeter on the master control console screen. -----	1.00	Included
30-06-0026	WARNING DISPLAY - MULTIPLEX ELECTRICAL SYSTEM Install: digital warning display integrated into the cab display console, programmed through the multiplex system to provide visual and audible indication. -----	1.00	Included
30-06-0225	EMERGENCY MASTER SWITCH - MULTIPLEX ELECTRICAL SYSTEM Supply: A single emergency master switch for activating all the emergency warning lights on the master control console screen, emergency master switch will activate the module power automatically, include an Emergency Master Menu button to allow access to individual warning light functions. -----	1.00	Included
30-06-0250	CONTROL PANEL SWITCHES - MULTIPLEX ELECTRICAL SYSTEM Switches on the master control console and attendant control panel screens shall have dimmable perimeter backlighting. -----	1.00	Included
30-06-0275	MODULE POWER SWITCH - MULTIPLEX ELECTRICAL SYSTEM Provide: A module power switch for the electrical system on both the Master Control Console and the Attendant Control Panel screens. -----	1.00	Included
30-06-0101	ATTENDANT CONTROL PANEL (ACP) - MULTIPLEX ELECTRICAL SYSTEM Attendant Control Panel (ACP) contains a color micro processor screen, controls all equipment installed in the patient compartment. -----	1.00	Included
30-06-0375	PARK OVERRIDE - MULTIPLEX ELECTRICAL SYSTEM Park override switch on the master control console screen, reactivates all lights disabled when the transmission is placed in the neutral/park position. -----	1.00	Included



30-06-0400	LOAD MANAGER-SEQUENTIAL SWITCHING SYSTEM - MULTIPLEX ELECTRICAL SYSTEM Load manager-sequential switching system controlled by the microprocessor based electrical system: emergency master button shall control the sequential switching of the emergency lights and/or other warning devices, load manager shall automatically shed non-critical electrical loads during low voltage conditions. -----	1.00	Included
30-06-0450	FRONT CLEAR DISABLE SWITCH - MULTIPLEX ELECTRICAL SYSTEM Activation of the switch on the master control console screen to disable all forward-facing clear warning lights. -----	1.00	Included
30-06-0076	MASTER CONTROL CONSOLE (MCC) - MULTIPLEX ELECTRICAL SYSTEM Floor mounted Master Control Console (MCC) located in the cab, housing siren, color microprocessor display screen, controlling all the Emergency Warning functions, Patient Compartment lighting and module heat/ac functions. -----	1.00	Included
30-06-0475	CURBSIDE SCENE LIGHTS ON WITH CURBSIDE DOOR The Curbside scene lights: programmed to activate when the Curbside door is in the open position. -----	1.00	Included
30-06-0500	REAR SCENE LIGHTS ON WITH REAR DOORS OPEN Rear scene lights programmed to activate when the rear doors are in the open position. -----	1.00	Included
30-06-0525	DISABLE SWITCH FOR REAR SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM Install: disable switch at the rear door area to disable the rear scene lights. -----	1.00	Included
30-06-0550	DISABLE SWITCH FOR SIDE SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM A disable switch shall be installed at the curbside door area to disable the curbside scene lights. -----	1.00	Included
30-06-0015	VISTA IV ACP - PUSH BUTTON Install: Weldon V-MUX Vista IV interface module / display screen mounted on an angled flip - down panel with chrome lever latches, in the patient compartment ACP area. -----	1.00	Included
30-06-0010	VISTA IV MCC - PUSH BUTTON Install: Weldon V-MUX Vista IV interface module / display screen in the cab, operated through the use of push buttons. -----	1.00	Included
30-10-0903	VISTA DISPLAY SCREEN - PUSH BUTTON - CURBSIDE -	1.00	2,576.00



	FIXED ANGLED One (1) Vista screen shall be provided in the patient compartment on the curbside wall on a fixed angled mount with removable plate per the location on dwg. #6.		
30-06-0050	DAYTIME RUNNING LAMPS - MULTIPLEX ELECTRICAL SYSTEM OEM Daytime Running Light headlights activated for daytime operation, when transmission is placed in drive.	1.00	Included
30-10-0073	CAMERA PATIENT AREA SINGLE SYSTEM - VISTA SCREEN Install: camera system to monitor the patient compartment, tied to M-Tech display screen. See Dwg #8	1.00	722.00
30-10-0071	CAMERA REAR VIEW - SINGLE SYSTEM - VISTA SCREEN Install: camera system rear view, tied to M-Tech display screen. Per Dwg #2. Camera alignment will be conducted at final inspection, if applicable.	1.00	Included
30-10-0150	FAN - CIRCULATION INSTALLED IN ELECTRICAL COMPARTMENT Install: Circulation fan in PDQ compartment	1.00	Included
30-10-0585	USB - DUAL OUTLET, ONE (1) INTERIOR LOCATED ON CONSOLE Install: (1) dual USB port outlet, 5 volt / 2.1 amp, in the vehicle, located on the Master Control Console in the cab.	1.00	Included
USBAA101	OUTLET, USB - ONE (1) DUAL - PRIMARY ACTION AREA One (1) dual USB port outlet, 5 volt / 2.1 amp, shall be installed in the vehicle, located on the streetside primary action area in the patient compartment.	1.00	Included
125AA101	OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX - LEFT WALL ACTION AREA One (1) 2-wire +plus ground 125 VAC duplex outlet in the street side wall in the primary action area.	1.00	Included
125ADD	OUTLET, ADDITIONAL-125VAC Cab behind the passenger seat (1) LOWER FRONT WALL CBINET #2 (1) ABOVE CABINET HEAD OF SQUAD BENCH (3) FRONT WALL CABINET #1 OSS #3 UPPER FRONT WALL	7.00	742.00
125IF201	OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX - FRONT WALL CABINET	1.00	Included



	One (1) 2-wire +plus ground 125 VAC duplex outlet in the front wall cabinet. -----		
30-10-0258	INVERTER, VANNER - 1100 WATT, LIFESINE LSC 12-1100-DC CHARGER Install: Vanner LifeSine LSC 12-1100-DC watt inverter with battery conditioner / charger per drawing (non-hardwired). -----	1.00	2,277.00
12VAA101	OUTLET, 12VDC - ONE (1) - LEFT WALL ACTION AREA One (1) 12 VDC power point outlet shall be installed in the street side wall in the primary action area. The outlet shall be labeled, "12 VDC". A Schottky diode medical isolator shall be provided to protect the 12 VDC outlet. -----	1.00	Included
12VADD	OUTLET, ADDITIONAL-12V (2) FRONT WALL CABINET #1 (1) LOWER FRONT WALL CABINET #2 (1) ABOVE CABINET HEAD OF SQUAD BENCH (1) OSS #3 UPPER FRONT WALL -----	5.00	425.00
12VIF201	OUTLET, 12VDC - ONE (1) FRONT WALL - CABINET One (1) 12 VDC power point outlet shall be installed in the patient compartment, in the front wall cabinet. The outlet shall be labeled, "12 VDC". A Schottky diode medical isolator shall be provided to protect the 12 VDC outlet. -----	1.00	Included
30-12-0001	RECEPTACLE SHORELINE INLET-SUPER 20 AMP, AUTO EJECT - YELLOW COVER Install: Kussmaul super auto eject shoreline inlet receptacle with yellow cover on module exterior (forward street side) near the driver's door, equipped with an integral dynamic disconnect. -----	1.00	Included
30-10-0094	SHORELINE INDICATOR LIGHT- ALLIED VCC GREEN MINI NEON - EXTERIOR MOUNTED Install: (1) Allied VCC green mini neon indicator light above the shoreline inlet per drawings. The indicator shall illuminate when shoreline power is present at the inlet. -----	1.00	Included
30-10-0657	RADIO ANTENNA BASES - TWO (2) Enter antenna information here Two (2) antenna bases with attached coax cables shall be installed on the module roof. The coax cables shall terminate in the PDQ. Access to the antenna bases shall be through adjacent module interior dome lights. -----	1.00	Included
30-10-0299	LIGHT, ATTENDANT CONTROL PANEL AREA - TECNIQ SILHO-X LED - WARM WHITE -----	1.00	Included



	A Tecniq Silho-X 2.75" round warm white LED light with SS trim ring, shall be mounted above the left wall forward action area counter. The light shall be operated through a button on the ACP Vista screen labeled "Attendant Light". (Braun #26415)		
30-10-0310	LIGHT, LED ELECTRICAL COMPARTMENT -PDQ A 12 VDC LED light shall be located in the PDQ. The light shall be wired "battery-hot" to activate when the PDQ door is in the open position. The light shall be off when the door is in the closed position.	1.00	Included
30-11-0106	LIGHTS, DOME LED (8) WHELEN SUPER LED Eight (8) Whelen #LED (80C0EHCR) dome lights, shall be installed. See dwg #9	1.00	Included
30-11-0155	LIGHTS, DELETE LIGHTS ON PANEL STREETSIDE - ANGLED Delete /omit lights on interior Streetside angled panel.	1.00	Included
40-10-0151	SWITCH DOOR UNLOCK, WATERPROOF - HIDDEN IN FRONT GRILLE AREA Install: exterior hidden door unlock switch in grille area.	1.00	Included
30-06-0201	RADIO TIE-IN POINT - (1) 12V/40 AMP - CAB CONSOLE AREA Install (1) set of 12 volt/40 amp radio tie-in studs in cab console: (1) battery hot, (1) ignition hot, (1) grounded stud.	1.00	Included
30-06-0202	RADIO TIE-IN POINT - (1) 12V/40 AMP - PATIENT COMPARTMENT Install (1) set of 12 volt/40 amp radio tie-in studs in patient compartment: (1) battery hot, (1) ignition hot, (1) grounded stud.	1.00	Included
30-06-0203	RADIO TIE-IN POINT - (1) 12V/250 AMP - PDQ Install (1) set of 12 volt/250 amp radio tie-in studs in the PDQ: (1) battery hot, (1) ignition hot, (1) grounded stud.	1.00	Included

Braun - Exterior Lighting

Item Number	Name	Quantity	Price
SR00137414	LIGHTS -FRONT MODULE-(2) WHELEN 600 ROTO-BEAM LED Install two (2) Whelen 600 Roto-beam LED lights on the front of the module, outboard of the warning lights. Per dwg #1	1.00	1,230.00
SR00137423	LIGHTS, UNDERBODY TECNIQ E10 LED Install: (6) Tecniq E10 white LED lights mounted on brackets	1.00	946.00



	underneath the module, turn on automatically when the vehicle is shifted into park, also activated or disabled by a switch on the MCC Vista display screen (Braun #27245).		
SR00137425	----- LIGHTS - (4) WHELEN 700 SCENE LIGHTS - CONDENSER Install four (4) Whelen 700 LED scene lights with chrome flanges to the condenser. There shall be two (2) on the front of the condenser and one (1) on each side.	1.00	1,025.00
SR00137444	----- LIGHT, FRONT MODULE FLOOD (1) - WHELEN PIONEER PLUS (PCH1) COMBO- FLOOD & SPOT A Whelen Pioneer Plus LED (PCH1) dual panel combination floodlight with (PBH103) recessed housing shall be installed in the center position. This light shall operate from the OEM switches in the Cab. Furthest Left Switch to activate the Left flood light, the next shall operate the Front and the third switch from the left is to operate the right flood light.	1.00	1,818.00
SR00137451	----- LIGHTS FRONT MODULE - 4 WHELEN 900 SUPER RED LED Four (4) Whelen 900 series super LED RED warning lights with chrome bezels shall be installed on the module front. The lights shall operate from a switch on the master control console, labeled "Flashers". FRONT WARNING LIGHT LOCATION 2 - RED The warning light located on the upper front of the module in location 1 shall be red. FRONT WARNING LIGHT LOCATION 3 - RED The warning light located on the upper front of the module in location 2 shall be red. FRONT WARNING LIGHT LOCATION 5 - RED The warning light located on the upper front of the module in location 3 shall be red. FRONT WARNING LIGHT LOCATION 6 - RED The warning light located on the upper front of the module in location 4 shall be red.	1.00	Included
SR00137459	----- LIGHT INTERIOR OF REAR FACING OSS & PASSAGE DOORS, TWO (2) RED MINI LED PER DOOR Two (2) Whelen red Mini LED lights shall be installed on the interior of all rear facing exterior compartment and patient entry doors. The lights shall be located as follows: one (1) on each upper and lower outer corner. The lights shall random flash upon door opening. (does not include the battery door) (16 lights)	1.00	Included
SR00137463	----- LIGHTS, RUB RAIL - WHELEN LED STRIP - 4 EACH SIDE Install: Whelen strip lights on rub rail, (4) LED's each	1.00	2,322.00



	side - (2) red LED's and (2) white LED's alternating in color (red-white-red-white) along the module side, total of eight (8) lights, alternate flash with box warning lights.		
SR00137471	----- LIGHTS, SIDE MODULE FLOOD (2) - WHELEN PIONEER PLUS LED DUAL (PFH2) Two (2) Whelen Pioneer Plus LED (PFH2) dual lamp floodlights with (PBH203) chrome trim ring shall be installed, one (1) each module side in the center position. These lights shall operate from The OEM switches in the Cab. Furthest Left Switch to activate the Left flood light, the next shall operate the Front and the third switch from the left is to operate the right flood light.	1.00	4,165.00
SR00155449	----- LIGHTS FRONT MODULE - (1) WHELEN 700 SUPER LED Install (1) Whelen Super LED light with chrome flange, white, above the PCH1 pioneer light, centered on the upper front of module	1.00	Included
30-06-0410	----- WARNING LIGHTS FLASH PATTERN SIGNAL ALERT 75 - MULTIPLEX ELECTRICAL SYSTEM The default flash pattern for the vehicle warning lights: Signal Alert 75.	1.00	Included
ClearLENS	----- CLEAR LENSES ON ALL WARNING LIGHTS	1.00	Included
GWL050004	----- LIGHTS GRILLE - 4 WHELEN 500 SUPER LED Four (4) Whelen 500 series super LED warning lights, with waterproof connectors shall be installed the grille area of the chassis. The lights shall operate from a switch on the master control console labeled "Flashers".	1.00	Included
GWLC1R1R	----- GRILLE WARNING LIGHT LOCATION 1 - RED The warning light located on the grille in location 1 shall be red.	1.00	Included
GWLC1R2W	----- GRILLE WARNING LIGHT LOCATION 2 - WHITE The warning light located on the grille in location 2 shall be white.	1.00	Included
GWLC1R3R	----- GRILLE WARNING LIGHT LOCATION 3 - RED The warning light located on the grille in location 3 shall be red.	1.00	Included
GWLC1R4W	----- GRILLE WARNING LIGHT LOCATION 4 - WHITE The warning light located on the grille in location 4 shall	1.00	Included



	be white. -----		
STRPTRN	STRAIGHT PATTERN WARNING LIGHTS The front warning lights will be aligned in a straight pattern across the module. -----	1.00	Included
30-25-0122	LIGHTS, ICC / LED CLEARANCE - ON MODULE FRONT - TECNIQ Install: (5) amber Tecniq LED (S33-AA00-1) clearance / ICC lights on the front of the module near the roof line per dwg #1. -----	1.00	Included
FWLCLR2R	FRONT WARNING LIGHT LOCATION 2 - RED The warning light located on the upper front of the module in location 2 shall be red. -----	1.00	Included
FWLCLR4R	FRONT WARNING LIGHT LOCATION 4 - RED The warning light located on the upper front of the module in location 4 shall be red. -----	1.00	Included
30-25-0123	LIGHTS, ICC / LED CLEARANCE - ON MODULE REAR - TECNIQ Install: (5) red TECNIQ LED (S33-RR00-1) clearance / ICC lights on the rear of the module near the roof line per dwg #2. -----	1.00	Included
ROL090002	LIGHTS REAR MODULE, UPPER OUTER - 2 WHELEN 900 LED Two (2) Whelen 900 series super LED warning light with chrome bezels shall be installed on the upper rear of the module, in the outer location. The lights shall operate from a switch on the master control console, labeled "Flashers". -----	1.00	Included
ROLCLR1R	REAR OUTER MODULE LIGHT LOCATION 1 - RED The warning light located on upper rear of the module, in outer location 1 shall be red. -----	1.00	Included
ROLCLR2R	REAR OUTER MODULE LIGHT LOCATION 2 - RED The warning light located on upper rear of the module, in outer location 2 shall be red. -----	1.00	Included
RCL060001	LIGHTS REAR MODULE, UPPER CENTER - 1 WHELEN 600 LED One (1) Whelen 600 series super LED warning light with a chrome bezel shall be installed on the upper rear of the module, center location. The light shall operate from a switch on the master control console, labeled "Flashers". -----	1.00	Included
RCLCLR1A	REAR CENTER MODULE LIGHT LOCATION 1-AMBER The warning light located on upper rear of the module	1.00	Included



	in the center location shall be amber. -----		
RS060002	LIGHTS REAR SCENE - 2 WHELEN 600 LED Two (2) Whelen 600 Series super LED scene/load lights with chrome bezels shall be installed on the upper rear of the module. The lights shall operate from a switch on the master control console, labeled "Rear Scene Lights". -----	1.00	Included
30-26-2002	TRAFFIC ADVISOR REAR OF MODULE WHELEN TAL-85 Install: Whelen #TAL-85 LED directional light bar on the rear of the module per dwg #2, to have a multi-function controller mounted in the OEM chassis cab in console with cut out on top plate to accommodate multifunction controller switch. -----	1.00	1,518.00
WL090002	LIGHTS REAR WINDOW - 2 WHELEN 900 SUPER LED Two (2) Whelen 900 series super LED warning lights with chrome flanges shall be installed on the rear of the module at window level, one (1) on each side. These lights shall operate from a switch on the master control console, labeled "Flashers". -----	1.00	Included
WLCLR1R	WINDOW LEVEL LIGHT LOCATION 1 - RED The warning light located on rear of the module at window level, location 1 shall be red. -----	1.00	Included
WLCLR2R	WINDOW LEVEL LIGHT LOCATION 2 - RED The warning light located on rear of the module at window level, location 2 shall be red. -----	1.00	Included
30-26-3008	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, & MINIMUM INTENSITY BACK-UP Install: (1) pair each of Whelen 600 series LED stop/tail lights, turn lights, and LED MINIMUM intensity back-up lights with chrome bezels on rear of the module. -----	1.00	Included
30-26-7002	LIGHT, LICENSE PLATE LED - WHELEN OACOEDCR Install:(1) Whelen OACOEDCR LED license plate light with 45 deg angled chrome-plated bezel on the rear of module, lower left side. -----	1.00	Included
FIL07T0002	LIGHTS FRONT INTERSECTION - 2 WHELEN 700 LED W/15 DEGREE TILT HOUSING Two (2) Whelen 700 series super LED warning lights, with water-proof connectors, shall be mounted in 15 degree tilt housings on the front chassis fenders, one (1) on each side. The lights shall operate from a switch on the master control console labeled "Flashers". NOTE: When vehicle is placed in park, the override switch must be on for intersection light(s) to remain on. -----	1.00	Included



FILCLR1R	FRONT INTERSECTION LIGHT LOCATION 1 - RED The warning light located on front of the chassis fender in location 1 shall be red. -----	1.00	Included
FILCLR2R	FRONT INTERSECTION LIGHT LOCATION 2 - RED The warning light located on front of the chassis fender in location 2 shall be red. -----	1.00	Included
RIL070002	LIGHTS INTERSECTION REAR - 2 WHELEN 700 LED Two (2) Whelen 700 series super LED warning lights with, chrome flanges and water-proof connectors, shall be installed above the rear wheel wells, one (1) on each side. These lights shall operate from a switch on the master control console screen labeled "Flashers". NOTE: When vehicle is placed in park, the override switch must be on for intersection light(s) to remain on. -----	1.00	Included
RILCLR1R	REAR INTERSECTION LIGHT LOCATION 1 - RED The warning light located on above the rear wheel well at location 1 shall be red. -----	1.00	Included
RILCLR2R	REAR INTERSECTION LIGHT LOCATION 2 - RED The warning light located on above the rear wheel well at location 2 shall be red. -----	1.00	Included
30-27-1102	LIGHTS, ICC / LED CLEARANCE - ON MODULE SIDE - TECNIIQ Install: (2) red Tecniq LED (S33-RR00-1) clearance/ICC lights, (1) red on each side at rear of the vehicle, flash with turn signal, per Dwg #3 and #4. -----	1.00	Included
SWL090004	LIGHTS SIDE WARNING - 4 WHELEN 900 SUPER LED Four (4) Whelen 900 series super LED warning lights with chrome flanges shall be installed, two (2) on each side of module exterior per dwg. -----	1.00	Included
SWLCLR1R	SIDE WARNING LIGHT LOCATION 1 - RED The warning light located on side of the module, in outer location 1 shall be red. -----	1.00	Included
SWLCLR2R	SIDE WARNING LIGHT LOCATION 2 - RED The warning light located on side of the module, in outer location 2 shall be red. -----	1.00	Included
SWLCLR3R	SIDE WARNING LIGHT LOCATION 3 - RED The warning light located on side of the module, in outer location 3 shall be red. -----	1.00	Included
SWLCLR4R	SIDE WARNING LIGHT LOCATION 4 - RED The warning light located on side of the module, in outer location 4 shall be red. -----	1.00	Included



SS090004	LIGHTS SIDE SCENE - 4 WHELEN 900 24 DIODE LED Four (4) Whelen 900 series 24 Diode LED scene lights with chrome flanges shall be installed, two (2) each module side. These lights shall operate from switches on the master control console labeled "Left Scene Light" and "Right Scene Light".	1.00	Included
----------	--	------	----------

Braun - Module Body Construction

Item Number	Name	Quantity	Price
SR00137431	CUSTOM MODULE LENGTH & HEIGHT Module Headroom to be 74" and Length to be 173"	1.00	8,022.00
39-00-0005	AWS ALUMINUM CERTIFIED WELDERS	1.00	Included
39-10-0003	CONNECTIONS, MODULE Bolt: to the chassis frame rail with (12) 5/8" -11 grade 8 bolts through OEM rubber insulating spacers installed on outriggers at twelve (12) separate locations (six each frame rail), providing noise insulation and easy removal for chassis replacement, mounting bolts to be properly torqued and secured with lockite, system used for fastening the module to the frame to be that approved by the chassis manufacturer.	1.00	Included
40-00-0080	INSULATION - POLYURETHANE SPRAY FOAM The walls, ceiling, passage doors, outside storage doors, the entire underside of the module floor (except for mounting pads), the underside of the outside storage compartments, the wheel wells, and the underside of the curbside step area shall be completely foam - in - place insulated with nominal 3/4" thick sprayed on Class I, urethane foam for thermal and acoustical insulation. The insulation shall comply with FMVSS #302 flame spread requirements. The underside of the body shall be properly prepared to ensure adhesion before the spray insulation is applied.	1.00	Included
39-00-0001	MODULE BODY CONSTRUCTION - SEAMLESS Module: fabricated entirely of parts cut and formed from .125" (minimum) thickness 5052-H32 flat aluminum sheet stock, using CNC machines capable of .010" repeatability. This is the only alloy that may be used for body parts that are welded together. Roll-cage type interior super-structure, aluminum partition and module welded together into a single unit, roof designed with a minimum 1.5" crown to facilitate water	1.00	Included



run-off. Floor, roof, sides, all exterior doors fabricated from .125" (minimum) thick flat aluminum sheet stock, exterior joints between the roof and side components continuous full seam welded the entire length of the module. All exterior body panel joints continuous full seam welded. No VHB bonding tape or other adhesives used in the construction of the ambulance module.

39-00-0002	SOLE SOURCE MODULE BODY CONSTRUCTION	1.00	Included
------------	--------------------------------------	------	----------

Braun - Module Features / Exterior

Item Number	Name	Quantity	Price
SR00137437	OSS #1 - EZ-O2 LIFT OXYGEN SYSTEM OSS #1 streetside forward, with an EZ-O2 lift system, for housing an O2 cylinder. Install a fixed shelf 62" from the floor with a gasket to seal against the door to seal off the upper section of the compartment. Air horn compressor, suction pump, and inverter to be located above the shelf, louvers in the upper section, sound deadening material. Door post changes on forward side of OSS #1.	1.00	Included
SR00137457	BACKBOARD AND (2) ADJUSTABLE SHELVES WITH OUTSIDE ACCESS AND FIXED DIVIDER OSS #4 curbside rear, with one (1) fixed vertical divider for backboard/scoop stretcher storage rear side and and two (2) adjustable shelves forward of divider. Door open as far as possible and no track on the lower 32", referene 8196, hinged door with spring-loaded gas cylinder, locking handle installed on the exterior of the door.	1.00	Included
SR00137462	OSS #2 - (2) ADJUSTABLE SHELVES OSS #2 streetside center, with two (2) adjustable shelves.	1.00	Included
SR00137478	OSS #4A - OPEN STORAGE Outside storage compartment #4A, lower Curbside, located between compartment #4, and wheel: OSS #4A cubsid rear, hinged door with spring-loaded gas cylinder, locking handle installed on the exterior of the door.	1.00	Included
SR00152319	OSS #3 DOUBLE DOORS Double doors-Outside Access Only. Full height compartment with shallow upper portion. (1) Adj. Shelf. (shelf depth adjusted to allow for the full length tapping plate) in full depth lower section. Upper and lower section both to have a full size exterior tapping plate for post production tool mounting. Upper section to have minimum of 12"	1.00	4,855.00



depth from tapping plate to doors. 2 Zico SCBA brackets (installed at final inspection) to be affixed to the upper section tapping plate. OSS #3 streetside rear, hinged double doors with spring-loaded gas cylinder, locking handle installed on the exterior of the door. Doors to open as wide as possible.

40-00-0009	----- ALUMINUM PARTS - MODULE EXTERIOR All unpainted exterior aluminum parts to be bright dip anodized after fabrication to retain the finish and increase corrosion resistance. -----	1.00	Included
40-00-0010	----- CORROSION MINIMIZATION - MODULE All module contact with dissimilar metals shall be minimized with the use of nylon screw-hole inserts to provide hinge to door isolation with the module body, polypropylene strip hinge Isolation, polyethylene backed rubber tape, ceramic coated stainless steel hinge bolts, and ECK brand corrosion inhibitor spray. -----	1.00	Included
40-00-0020	----- DOOR CONSTRUCTION - GASKET PLACEMENT All exterior hinged module doors shall be constructed in an inverted pan-formed design. The pan shall be constructed from .125" thick 5052-H32 flat sheet aluminum. The exterior door skin shall be constructed of .190" thick aluminum and welded to the pan. Door gaskets shall be attached to the interior side of the door skin on the top, bottom and outer edge of the door. The gasket on the hinge side of the door will be attached to the door frame. -----	1.00	Included
40-00-0060	----- EXTERIOR COMPARTMENTS - SWEEP-OUT Exterior module compartments: a sweep-out design to aid in facilitation of the purchaser's routine care and cleaning of the vehicle. All exterior compartment floors, with the exception of the front ALS compartment to be constructed to be flush with the bottom door frame. -----	1.00	Included
40-00-0030	----- EXTERIOR COMPARTMENTS DESIGN All exterior compartments shall be vented and include: sound absorbing slip resistant polyurethane material sprayed on the inside of all compartments and compartment shelving, slide out trays and closeouts, baffled seep holes provided to prevent water from splashing or seeping into the exterior compartments, full-length, two-way adjustable, stainless steel hinges on all exterior compartment doors with 3/16" stainless steel hinge pins, compartment doors installed, flush with the module	1.00	Included



	body, when double doors are provided, each door to have exterior handle, but only the forward door lockable, rearward door is secured when forward door is locked), all exterior compartments and passage doors keyed alike, lockable Eberhard "free-floating" type chrome plated handles with rotary locks. Gasket installed under each handle to protect the paint; drip rails installed above all exterior compartment doors.		
40-00-0055	EXTERIOR COMPARTMENTS, VENTING - OXYGEN STORAGE (9) square inches (minimum) of venting provided in the exterior oxygen storage compartment, to dissipate any leaking oxygen gas.	1.00	Included
40-00-0070	HANDLES, EBERHARD - CHROME FREE FLOATING TYPE Install: Eberhard #EMC-1-2110 chrome "free-floating" handles on each exterior module door, large enough to accommodate a gloved hand.	1.00	Included
40-10-0072	LOWERED MODULE SIDES Module sides to be as low as possible and still comply with KKK-1822-F ramp break over angle.	1.00	Included
40-10-0321	STEPWELL, CURBSIDE DOORWAY - MID STEP AREA Install: aluminum diamond plate step well and mid-level step in curbside doorway threshold area.	1.00	Included
40-00-0091	THRESHOLD, STAINLESS STEEL - ALL OSS STORAGE COMPARTMENTS Each exterior storage compartment with a hinged door: stainless steel lower threshold at the door opening to protect the paint.	1.00	Included
40-10-0340	STONE GUARDS, MOD FRNT - ANODIZED DIAMOND PLATE Install: anodized aluminum diamond plate stone guards on module front, (1) each side.	1.00	Included
40-10-0066	DOOR SLIDING - MODULE CURBSIDE PASSAGE Install EZ Glide curb door.	1.00	Included
40-10-0088	DOORS - REAR PASSAGE Patient compartment rear door opening: doors flush without a protruding flange or lip, right rear passage door lockable, chrome exterior handle, left rear door non-locking, chrome exterior handle, all handles installed with a gasket, hinge full length stainless steel with a 3/16" stainless steel hinge pin, two-way	1.00	Included



	adjustable, each rear door two-point slam action automotive type rotary latching system to the body, right rear door lock to the body at the top and bottom, not to left rear door, doors .213" steel door latch activator rods with clevis adjusters, doors lockable from inside and outside, shut on molded, air-core, automotive type door seals to prevent water from leaking into vehicle interior.		
40-10-0130	EMERGENCY RELEASE LEVER, REAR PATIENT PASSAGE DOORS Install emergency release lever, attached to each rear passage door latch to be free-floating from the interior door linkages.	1.00	Included
40-10-0505	WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR FIXED) Curbside passage door (sliding) window with removable screen, rear passage doors w/ non-openable window, windows 69% dark tint, secured with black oxide coated fasteners, open doors not to block warning lights.	1.00	Included
40-10-0103	FENDERETTES - POLISHED ALUMINUM Install: Polished aluminum fenderettes around the rear wheel well openings.	1.00	Included
40-10-0119	HOLD-OPEN - REAR DOORS - GRABBERS Install: door grabbers (1 pair) with hard rubber inserts on rear doors.	1.00	Included
40-10-0360	KICKPLATE/THRESHOLD, REAR DOORWAY - ANODIZED DIAMOND PLATE Install: anodized aluminum diamond plate kick plate at the rear exterior doorway, providing a kick / scuff plate at rear of the vehicle above rear step, per dwg # 2.	1.00	Included
40-10-0204	MUD FLAPS, REAR - BLACK RUBBER FIBERGLASS REINFORCED - THREE COLOR Install black rubber, fiberglass reinforced mud flaps with a minimum 1/4" thickness bolted to underside of module behind rear wheels, to provide adequate coverage of rear dual wheels of the chassis, mud flaps to be (3) color with the Manufacturers Logo.	1.00	Included
40-10-0266	REAR STEP/BUMPER -FLIP-UP CENTER SECTION - STAR PUNCHED AND ANODIZED Affix: rear bumper to chassis frame, constructed with a hinged center section, (2) steel braces to secure step to chassis frame, outer 17" on each end of bumper constructed from heavy gauge stamped polished stainless steel bumper parts, to provide smooth	1.00	Included



	rounded corners, step constructed of star punched .125" thick aluminum diamond plate, (2) rear LED step illumination lights provided. All diamond plate surfaces to be anodized; strip of black PVC installed on face of step.		
40-10-0381	TOW HOOKS, MODULE REAR Secure: fasten (2) tow hooks in rear step area to rear step braces.	1.00	Included
40-10-0283	RUB RAILS, ANODIZED ALUMINUM, "C" CHANNEL Install: anodized aluminum "C" channel rub rails on lower sides of body below outside compartment sill areas, rub rails to be offset 3/16" from body.	1.00	Included
40-00-0019	DOOR SKINS, OUTSIDE STORAGE COMPARTMENTS - DIAMOND PLATE INTERIOR SKINS Interior door skins for all outside storage compartments constructed of .063" thick aluminum diamond plate.	1.00	Included
OS2XL1STD	OSS #2 - STREETSIDE CENTER OSS #2 streetside center, hinged double doors with spring-loaded gas cylinders, handles installed on the exterior of each door, forward door with locking handle.	1.00	Included
OS2SHELF2	OSS #2 - SHELVES TWO (2) ADJUSTABLE WITH TRACK Outside storage compartment #2 shall contain two (2) adjustable shelves with track.	1.00	Included
OS5XL1STD	OSS #5 - CURBSIDE FORWARD OSS #5 curbside forward, hinged door with spring-loaded gas cylinder, locking handle installed on the exterior of the door.	1.00	Included
OS5XL1OP1	OSS #5 - INSIDE/OUTSIDE ACCESS TO THE ALS CABINET - #5B OPEN STORAGE AREA OSS #5 curbside forward, inside/outside access to the ALS cabinet, and #5B lower storage area.	1.00	Included

Braun - Module Interior / Patient Compartment

Item Number	Name	Quantity	Price
SR00137424	CABINETS -FRONT WALL CABINETS WITH CARGO NETS, (3) ADJ. SHELVES total: Front wall, interior cabinets #2 shall each be single compartment and have a RED cargo net on each, Buckles shall be installed on the bottom of the net and compartment shall each have an adjustable shelf and also have an adjustable shelf acting as a barrier between the cabinets per dwg. #7.	1.00	1,825.00



SR00137433	CABINET- SLIDING POLYCARBONATE DOORS WITH (1) FIXED SHELF, SHALLOW DEPTH STORAGE RECESSED INTO OSS #3 Left wall rear interior cabinet (#3): flip-up restocking frame, sliding polycarbonate doors w/ full length handles, the outer most sliding door to have handles on both ends, (1) fixed shelf, shallow depth storage, with top/bottom dividers (6 top/6 bottom).	1.00	Included
SR00137435	CABINET - HINGED ALUMINUM DOOR WITH CENTER SQUEEZE LATCH AND GAS SHOCK HOLD-OPEN Front wall over pass thru interior cabinet (#5): cabinet w/ (1) flip up hinged aluminum door with gas filled hold-open shocks, center squeeze latch.	1.00	1,858.00
SR00137436	ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP - RECESSED A SSCOR suction system shall be recessed into the street side lower interior wall near the attendant's seat per dwg. #5 dimensions. The 12 VDC SSCOR electric vacuum pump to be installed in OSS #1 compartment. (must use SSCOR pump and tubing)	1.00	Included
SR00137438	OTE 19511B CLIMATE CONTROLLED CABINETS- TEMPERATURE CONTROL MODULE Install: (2) 12-volt OTE key locking climate controlled stacked cabinets at the action area counter, with an exterior vent.	1.00	7,238.00
SR00137439	STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE: A brushed stainless steel panel shall be provided on the street side wall 6" from the Floor. Per dwg. #5.	1.00	Included
SR00137443	CURB SIDE INTERIOR DRAWER #1 Cabinet with solid acrylic countertop, pull out drawer toward the bench with (3) front to back adjustable dividers with in drawer, locking stainless steel latch.	1.00	2,104.00
SR00137445	OXYGEN OUTLET (1) CEILING - OHIO MED - AT FOOT OF COT AREA: One (1) Ohio Medical flush mounted, quick release oxygen outlet shall be installed in the ceiling above the foot of cot area	1.00	Included
SR00137446	OVERHEAD CABINETS #3 WITH HINGED POLYCARBONATE DOORS, GAS SHOCK HOLD-OPENS, AND CENTER SQUEEZE LATCHES. Curbside interior cabinets #3 above the seating area with hinged	1.00	1,797.00



	polycarbonate doors with six (6) adjustable dividers in each cabinet. each flip door shall have a center squeeze latch per dwg. #6.		
SR00137448	----- DRAWER, SHARPS/TRASH STREETSIDE Install a 5qt trash and 4.7 qt customer supplied sharps container in a pull out drawer with a locking stainless steel flush pull latch with a hinged acrylic hinged lid on the counter with an ABS funnel for sharps.	1.00	1,855.00
SR00137456	----- ASSIST HANDLES, (2) 'V-BARS' KNURL STYLE, (5) KNURL ASSIST A total of eight (7) assist handles shall be provided: two (2) 1-1/4" diameter Knurl style 'V' handles, one (1) on each passage door; and FIVE (5) 12" Knurl assist handles: two (2) handles at the rear doorway-one on each side, one (1) at the curbside doorway, one (1) on the curbside door per dwg. #6, one (1) on the exterior by the forward curbside door per dwg. #4.	1.00	Included
SR00137458	----- PULL-OUT DRAWERS TOWARDS THE AISLE Left wall interior cabinet (#5) below action area: two (2) vertically drawer facing the aisle under the action area. Each drawer shall have a locking, stainless steel, flush pull latch (3) front to back adjustable dividers in each drawer	1.00	2,204.00
SR00137466	----- FRESH AIR INTAKE Install a fresh air intake on the curbside forward above the curbside doorway.	1.00	Included
SR00137468	----- CABINET #1 LEFT WALL- RESTOCKNG FRAME WITH SLIDING POLYCARBONATE DOORS AND (1) FIXED SHELF Left wall, upper rear interior cabinet (#1): sliding polycarbonate doors w/ a flip-up restocking frame, gas filled hold-open shocks, full length handles w/ outer most sliding door to have handles on both ends, (1) fixed shelf, 2 ea top/bottom dividers	1.00	Included
SR00137470	----- CURBSIDE CABINET AT HEAD OF BENCH Cabinet stack at head of squad bench. with (1) pull out drawer toward bench. Install 3 front to back dividers in drawer. With locking stainless steel flush pull latch. Notch below drawer for access to a sharps/waste pull out drawer into the isle with a drop from the top hinged acrylic lid and a locking stainless steel flush pull latch.	1.00	4,546.00



SR00137473	CABINET - RESTOCKING FRAME WITH SLIDING POLYCARBONATE DOORS AND (1) FIXED SHELF Left wall, upper interior cabinet (#2A): sliding polycarbonate doors, flip-up restocking frame w/ gas filled hold-open shocks, full length handles, outer most sliding door to have handles on both ends, (1) fixed shelf with top/bottom dividers (6 top/6 bottom).	1.00	Included
SR00137474	CABINET - HINGED POLYCARBONATE DOOR WITH CENTER SQUEEZE LATCH AND GAS SHOCK HOLD-OPEN Left wall upper interior cabinet (#6): cabinet w/ (1) flip up hinged polycarbonate door with friction hinges, center squeeze latch.	1.00	Included
SR00137476	COUNTER TOP, SOLID ACRYLIC A solid acrylic counter top with a 1/2" lip shall be installed to prevent equipment from sliding off.	1.00	Included
SR00137483	INVENTORY CONTROL SYSTEM Install inventory control system to all interior cabinets.	1.00	105.00
SR00137485	STORAGE AREA, ABS OVER CURBSIDE DOOR Install an ABS storage area with plexiglass door and quarter turn latch, in the head pad over the curbside entry door.	1.00	441.00
SR00155432	GLOVE DISPENSER-3 BOX-END OF BENCH (ALUMINUM) An aluminum three (3) - box glove dispenser unit, with a clear acrylic hinged access panel with three (3) cut-outs, shall be provided inside the curb door, at the end of the bench.	1.00	307.00
50-51-1001	CABINET CONSTRUCTION - INTERIOR - ALUMINUM All interior cabinets shall be constructed of .090" thick welded aluminum.	1.00	Included
50-51-1014	CATCH, MAGNETIC - ADHESIVE BACK FOR INTERIOR DOOR(S) OVER 36 INCHES All interior doors that are over 36" inches tall with a latch on the top of the door shall have an adhesive back magnetic catch installed on the bottom of the door.	1.00	Included
50-60-0220	EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT (2) "No Smoking / Oxygen Equipped / Fasten Seat Belts" signs: (1) sign installed in the cab, (1) above the oxygen outlets in the patient compartment street side cabinet.	1.00	Included



50-60-0300	----- FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE Sub-floor in the patient compartment: constructed of .125" thick aluminum over .125" and .190" thick reinforcing hat sections and mounting laterals, aluminum sub-floor covered with a 3/4" non-wood composite material, all corner molding, edging and trim anodized aluminum or stainless steel and sealed to prevent fluids from seeping under the cabinets. -----	1.00	Included
50-60-0301	FLOORING - COVE Patient compartment floor radius: coved with pre-formed floor coving material, installed behind the vinyl floor covering, along both the street side and curbside walls. -----	1.00	Included
50-60-0391	HEADLINER - REAR PATIENT COMPARTMENT Headliner in the patient compartment shall be one-piece, seamless, .090 thick aluminum finished with sprayed-on multi-use polychromatic coating. -----	1.00	Included
50-51-1013	HOLD OPENS FOR INTERIOR DOORS All interior cabinets with doors less than 6" tall shall have friction hinges as hold opens for door(s). Doors 6" and taller shall be designed using gas shocks as hold opens for the door(s). -----	1.00	Included
50-60-0660	PADDED EDGING PROTECTION Install: padded corner edging where necessary on exposed corners and edges in the patient compartment for patient and attendant protection. -----	1.00	Included
50-00-0202	ROUNDED INTERIOR CORNERS Interior vertical edges: rounded/padded corners in the following locations: forward and aft edges of the CPR seat, the wall at the aft end of the squad bench, the partition opening cabinet edges and the upper front wall cabinet. -----	1.00	Included
50-51-1011	RECESSED ADJUSTABLE SHELF TRACK - CABINETS Install recessed adjustable shelf track in cabinets. -----	1.00	Included
50-51-5001	UPHOLSTERY - PATRIOT PLUS CHARCOAL #8605 All cushions, head pads and seating surfaces shall be covered with Patriot Plus Charcoal #8605 -----	1.00	Included
50-60-0661	INTERIOR MODULE PADS Vinyl upholstered, foam cushioned head/back pads shall be installed as follows: the lower edge of the	1.00	Included



	upper front wall cabinet (above the partition doorway or window), above the rear doors, above the side door, and on the street side wall behind and on each side of the CPR seat. The pads shall be covered with a flame-retardant color coordinated vinyl upholstery material.		
50-51-6003	LONPLATE II, NON-SLIP EMBOSSED SM. GRID - GUNMETAL #424 The floor in the patient compartment shall be covered with Lonseal brand "Lonplate II" non-slip; small grid (embossed) Gunmetal #424.	1.00	Included
50-51-2002	CABINET DOORS - CLEAR POLYCARBONATE All cabinet doors shall be clear polycarbonate material / installed in aluminum track lined with PPL inserts / An edge mounted aluminum handle shall be installed on each sliding cabinet door.	1.00	Included
50-51-3001	CABINETS/ WALLS - POLYCHROMATIC COATING - MARBLE STONE Headliner, walls, cabinet faces, and cabinet interiors MultiSpec color to be Marble Stone	1.00	Included
50-51-4055	COUNTERTOP - SOLID ACRYLIC - BLACK ONYX MIRAGE A solid acrylic counter top, Black Onyx Mirage.	1.00	Included
50-01-0411	LATCHES, CABINET, CN10 COMPLIANT AS APPLICABLE The ACP (attendant control panel) door and the PDQ (power distribution quarters) door shall be secured with chrome locking lever latches, all remaining interior hinged cabinet doors with center squeeze latches (if applicable). All interior drawers with flush pull latches (if applicable).	1.00	Included
50-10-0226	LEFT WALL - ATTENDANT CONTROL PANEL - HINGED PANEL A hinged access panel and secured with two (2) latches to the immediate right of the attendant's seat, color microprocessor screen installed on the panel.	1.00	Included
IS2XL1OP3	CABINET - RESTOCKNG FRAME WITH SLIDING POLYCARBONATE DOORS, FIXED CENTER SHELF, TOP/BOTTOM ADJUSTABLE DIVIDERS Left wall, upper interior cabinet (#2): sliding polycarbonate doors, flip-up restocking frame with gas filled hold-open shocks, doors w/ full length handles, outer most door handles on both ends, fixed center shelf and top / bottom adjustable dividers.	1.00	Included
ISRAISED	RAISE STREETSIDE CABINETS, DELETE ANGLED LIGHTS	1.00	Included



50-60-0470	BLANKET WARMER - LOCATED INSIDE (1) INTERIOR CABINET front wall cabinet #5 Provide: (1) Blanket warmer plate and adjustable thermostat in the patient compartment of the unit. -----	1.00	519.00
IC-CNT-ACR	COUNTER TOP, CURBSIDE - SOLID ACRYLIC Install: solid acrylic countertop with 1/2" lip on the cabinet at the head of the curbside seating area. -----	1.00	Included
50-50-0541	HOLD OPENS - SQUAD BENCH LID - GAS CYLINDERS Gas cylinder hold-open(s) shall be provided and installed to hold lid in the open and closed position. -----	1.00	Included
SQ-BN-BASE	SQUAD BENCH BASE W/STORAGE A storage area shall be provided in the squad bench base. The squad bench base shall be constructed of .090" thick aluminum for maximum storage capacity and minimum weight. The interior of the squad bench shall be sprayed with sound absorbing polyurethane material. -----	1.00	Included
IF3PDQ	CABINET - PDQ The Power Distribution Quarters (PDQ) shall hold electrical components, (i.e., power distribution nodes, circuit breakers, etc.), hinged door with (2) chrome locking lever latches, located on the partition wall behind the attendant seat. -----	1.00	Included
50-60-0001	AIR PURIFICATION SYSTEM, ULTRAVIOLET Install a Ultraviolet Air Purification System within the heater/AC. -----	1.00	518.00
IF1XL1C5	CABINET - FRONT WALL, UPPER #1 - HINGED ALUMINUM DOOR The front wall interior cabinet #1, flip up hinged aluminum door with gas shock hold-open(s) and a center squeeze latch, (1) adjustable shelf. -----	1.00	Included
IF1XL1OP5	CABINET WITH HINGED ALUMINUM DOOR WITH CENTER SQUEEZE LATCH WITH (1) ADJUSTABLE SHELF Install cabinet with a hinged aluminum door with gas shock hold-open(s) in the upper front wall. -----	1.00	Included
IF3XL1OP1	CABINET - VENTED RADIO CABINET PDQ ABOVE Power Distribution Quarters (PDQ) compartment and a vented radio compartment below the PDQ, lower front wall, left. -----	1.00	Included
IF3XL1RAD	CABINET - FRONT WALL, LOWER BELOW PDQ (SINGLE VENTED DOOR) A radio cabinet with a vented, hinged aluminum door, secured by a chrome locking lever latch, located on the	1.00	Included



	front lower left wall, door to open towards rear of the module.		
IF4XL1OP4	----- CABINET - HINGED POLYCARBONATE DOORS WITH CENTER SQUEEZE LATCHES, PASS-THROUGH WINDOW OPEN TO THE CAB Window opening, pass-through from cab to module. A cabinet with hinged polycarbonate doors located below window opening. The cabinet to have oen (1) adjustable shelf. -----	1.00	Included
IF-CNT-ACR	----- COUNTER TOP, SOLID ACRYLIC Install: solid acrylic countertop with a 1/2" lip in the pass-through opening. -----	1.00	Included
50-20-0507	----- PASS THROUGH - CAB TO MODULE, WINDOW OPENING A window opening: provided in the rear of the cab to accommodate pass-through communications to the patient compartment, bellows provided to connect the cab to the module. -----	1.00	Included
50-20-0508	----- PASS THROUGH - CAB TO MODULE, LOCKABLE SLIDING WINDOW Install: A lockable sliding window in the cab over the pass thru opening to the module. -----	1.00	Included
50-50-0118	----- SEATING - ATTENDANT - USSC VALOR R - BACK INTEGRAL CHILD, SWIVEL SEAT CN8 COMPLIANT A USSC Valor rear facing, R-back attendant seat with an integrated child seat installed at the head of the patient cot: a (2) position swivel seat mounted on a pedestal base with a heavy-duty seat frame / ABTS (All Belts To Seat) application with (4) point / (4) retractors single click internal mount belt system. The seat shall be padded and covered with sewn matching vinyl upholstery. -----	1.00	Included
50-50-0121	----- SEATING - ATTENDANT - CENTERED WITH COT Attendant seat to be centered with cot per dwg #9 -----	1.00	Included
50-50-0333	----- CPR SEAT STORAGE AREA, BELOW SEAT - W/HINGED SEAT BOTTOM The bottom seat cushion shall be hinged with a storage area located below. The interior of the storage area shall be sprayed with sound absorbing polyurethane material. An automatic latching fastener shall be installed to secure the CPR seat lid in the closed position. -----	1.00	764.00
CPROP4	----- SEATING - CPR - EVS WITH BACKPACK HARNESS A CPR seat shall be installed on the street side of the	1.00	Included



	patient compartment aft of the primary action area counter. The CPR seat shall be KKK-A-1822F Change Notice 8 compliant with the Backpack style shoulder / seat belt system and conform to all applicable FMVSS and SAE J3026 requirements. -----		
SQSTOP7	SEATING - CN8 COMPLIANT TWO (2) EVS BACKPACK A Squad bench seat: (2) EVS individual seating positions will be installed on the curb side of the patient compartment. Seats shall have the EVS Backpack Belting system and be covered with color coordinated, cut and sewn vinyl. -----	1.00	Included
HVAC_HSL_STD_01	HVAC - THE EVAPORATOR IS TIED-IN TO THE OEM AIR CONDITIONING SYSTEM, COOLING THE AIR OF THE PATIENT COMPARTMENT THROUGH THE VENTS (STANDARD SETUP) The air conditioning unit shall be tie-in to the OEM air conditioning system, cooling the air of the patient compartment through the outlets. The evaporator unit shall have a capacity of 580 CFM and cooling capacity of 30,000 BTU. The evaporator shall be installed in the patient compartment, in the upper front wall. It shall be accessible by removing the HVAC faceplate. Four (4) adjustable vents with manual closures are installed within the HVAC faceplate. The patient compartment HVAC system shall be controlled by the driver or the patient compartment attendant via the multiplex located in the front console or the rear switch panel. The patient compartment temperature shall be monitored by a thermostat incorporated in the multiplexing electrical system. Additional to the three (3) preprogramed speeds, an automatic mode shall be able to decide between heating, cooling and fan speed in function of the set temperature versus the patient compartment temperature. In order to achieve maximum efficiency and optimization of this system, the fans' speed shall be optimized via Pulse Width Modulation (PWM) to allow the heating and cooling system to run at its most effective speed. Adequate room for hose connections and hose lines shall be provided when installing HVAC components. The hoses shall be protected and insulated to optimize performance and longevity. -----	1.00	Included
COND_HSL_01	HVAC - SINGLE COIL CONDENSER - 24,000 BTU A single coil condenser, 24,000 BTU Low Profile, shall be installed on the front of the module. The condenser shall be top center mounted with mounting brackets. Condenser and brackets are to be painted to match the module. -----	1.00	Included



COND_BRK_01	CONDENSER BRACKET TO BE FLAT DESIGN AND COLOR MATCH TO THE CONDENSER The condenser bracket shall be a flat designed, painted to match the condenser, mounted to the bulkhead of the module. -----	1.00	Included
50-60-0730	DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUMINUM - W/ACCESS PANELS Interior rear and curbside passage door panels to be full length aluminum, Multi-Spec sprayed to match interior color and contain removable latch access panel per dwg. # 6 & # 8. (Total 3). -----	1.00	Included
50-60-0256	EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM Install: three-speed, 250 CFM (minimum) exhaust fan in the street side cabinet in the patient compartment, fan pulse width modulated from a switch on the attendant control panel vista screen, exhaust system to have a louvered grille inside and a chrome vent outside, system vent through the side of the vehicle, not through the roof. -----	1.00	Included
50-60-0325	NO - GLOVE, DISPENSER - CURBSIDE ABOVE DOOR Delete the glove box (3) dispenser above the curbside door. -----	1.00	Included
50-60-0332	GLOVE DISPENSER - (1) BOX - EACH REAR DOOR - TOTAL TWO (2) A single box glove dispenser unit, with a clear acrylic hinged access panel with cut-out, shall be recessed on the rear passage doors, one each door per dwg #8. -----	1.00	600.00
50-60-0351	GRAB RAILS, 1-1/4" DIAMETER, (96") OVER COT & (64") SQ BENCH Install 64" stainless steel grab rail over the squad bench area. -----	1.00	Included
50-60-0440	IV HANGERS - CEILING RECESSED - DUAL IV BAG HOLDER Recessed ceiling IV hanger(s) provided and installed per the drawings. -----	2.00	Included
50-60-0640	OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM A 12 VDC controlled electric O2 system operated through the v-mux multiplex electrical system shall be provided and installed. -----	1.00	Included
50-60-1602	OXYGEN OUTLET (2) LEFT WALL - OHIO MED - ACTION AREA -----	1.00	Included



	Two (2) Ohio Medical flush mounted; quick release wall outlets shall be installed in the forward street side cabinet action area. Per dwg #5		
50-60-0629	FLOW METER, OXYGEN - THORPE STYLE One (1) Thorpe style oxygen flow meter (15LPM) shipped loose with the completed vehicle.	1.00	Included
50-60-0286	OXYGEN - ZICO QR-D-2 PORTABLE OXYGEN STORAGE BRACKETS TWO (2) RECESSED INTO HEAD OF SQUAD BENCH Two (2) Zico #QR-D-2 storage brackets for "D" oxygen cylinders, shall be recessed and installed into the forward end of the squad bench and accessible from the curbside stepwell.	1.00	1,521.00
Braun - Optional Patient Compartment Items			
Item Number	Name	Quantity	Price
SR00137450	STAINLESS STEEL WALL PROTECTION - INTERIOR CURBSIDE: A brushed stainless steel panel shall be provided on the street side wall 6" from the Floor.	1.00	Included
SR00137452	AISLE LIGHTING Install Ridgeback strip lights in a aluminum channel under the stainless steel wall protectors on the street side and the curb side.	1.00	1,340.00
SR00137461	CODE 3 VITAL VIO DECONTAMINATION SYSTEM PCL-LED-VV PATIENT LIGHT VV, 48LED, 12-24VDC (BARE LEADS) Install (3) Code 3 Vital Vio Antimicrobial Light Disinfection units in module headliner.	1.00	1,901.00
DECON-EVER-01	EVERGREEN LUMALIER UV ADU-136-PB DECONTAMINATION SYSTEM Install an Evergreen Lumalier Decontamination UV-C system per drawings.	1.00	3,583.00
50-62-0446	COT FASTENER - STRYKER FLOOR PLATE AND 12v PRE-WIRE FOR CUSTOMER FUTURE INSTALL OF A POWER OR PERFORMANCE COT LOAD SYSTEM Install Stryker Floor plate kit and 12v pre-wire for Customer supplied / Customer installed Stryker Performance or Power Load Cot	1.00	Included
30-10-0502	LIGHTS, INTERIOR - WHELEN MINI LED BRAKE/TURN REAR HEADPAD Install: Whelen Mini-LED turn signal and brake light on rear headpad above the rear doors (amber / red / amber).	1.00	235.00



Braun - Paint / Graphics

Item Number	Name	Quantity	Price
60-01-0001	PAINT PROCEDURE All non-anodized aluminum module body surfaces: completely chemically steam cleaned, filled with premium body filler as needed, sanded smooth and primed with an epoxy primer and then primed again with a high solid primer, cured primer surfacer shall be DA sanded with 320 grit and cleaned. A high solid primer shall then be applied, where needed, as a sealer.	1.00	Included
60-01-0005	STANDARDS AND SPECIFICATIONS FOR VEHICLE PAINT APPEARANCE Adhere to Standards and Specifications for Vehicle Paint Appearance.	1.00	Included
60-10-0108	CAB - OEM PAINT FORD OEM RACE RED	1.00	Included
60-01-0004	BUFFING, PAINT - MODULE The paint on the module sides shall be buffed to a high shine using a recommended paint buff system.	1.00	Included
60-09-0101	PAINT MOD ALL ONE SOLID COLOR, PLUS CLEAR COAT FORD OEM RACE RED The entire module shall be sprayed one-color and then clear coated.	1.00	Included
60-30-0200	REFLECTIVE - DOOR REFLECTIVITY Install reflective material (25" x 2.5" red/silver chevron style), on the lower interior stainless steel panel of each rear door and hinged side door. NOTE: If a sliding side door is provided, install a 1.50" x 40.00" white reflective stripe on the rear facing edge.	1.00	Included

Braun - Vehicle Manuals

Item Number	Name	Quantity	Price
80-20-0001	VEHICLE MANUALS (1) PACKAGE SET One (1) Delivery Manual Package shall be supplied with the vehicle, and shall include the following items: Ambulance manufacturer parts, service, and operation manuals, OEM chassis owner's guide, complete 12 VDC and 125 VAC wiring schematics for all included standard and optional systems, Multiplex Electrical system programming - electronic media	1.00	Included
90-10-0007	STATEMENT OF LIMITED WARRANTY NEW AMBULANCES	1.00	Included

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Patrick Jones, Director of Public Safety

RE: Resolution 32-2023

DATE: March 1, 2023



Subject Matter/Background

Resolution 32-2023 authorizes the purchase of a new Braun Chief LX, Ford F-550 4x4 diesel chassis ambulance at a purchase price not to exceed \$382,467.00. This emergency vehicle is budgeted for purchase in the 2023 amended budget. Current lead times for this ambulance to be built is up to two years, due to ongoing supply chain issues.

This ambulance will replace a 2014 International ambulance that will be used as a reserve ambulance. The Fire Division is requesting to purchase an emergency vehicle that has a Ford cab and chassis and a Braun box on the back. The dealer is Penn Care, therefore, the dealer is the contractor in the legislation. Pricing for this ambulance is under Ohio State Term pricing contract 009362.

This resolution was approved by the Safety Committee 3-0 to forward to City Council.

Financial Review

The funds are available in line item 4403.21233.55600, with the passage of the amended budget.

Legal Review

This resolution has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Resolution as an Emergency is recommended.

RESOLUTION 32-2023

A RESOLUTION AUTHORIZING A PURCHASE AGREEMENT WITH PENN CARE NOT TO EXCEED THREE HUNDRED EIGHTY- SIX THOUSAND, ONE HUNDRED FORTY-EIGHT DOLLARS (\$386,148.00) FOR THE PURCHASE OF A BRAUN CHIEF XL, FORD F-550 4X4 DIESEL CHASSIS AMBULANCE FOR THE PERRYSBURG FIRE DIVISION AND DECLARING AN EMERGENCY

WHEREAS, it is necessary for the safety and security of the City of Perrysburg that the City of Perrysburg Fire Division have the necessary equipment to respond to medical emergencies,

WHEREAS, a replacement emergency vehicle is necessary at this time to enable the City of Perrysburg Fire Division to respond efficiently to medical emergencies; and,

WHEREAS, this emergency vehicle would replace a 2014 International ambulance that would be dedicated as a reserve ambulance; and,

WHEREAS, the State of Ohio, Department of Administrative Services, State Purchase Program is available for such equipment, and

WHEREAS, Penn Care provides such equipment through the State Purchase Program.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. The Mayor and Director of Finance are authorized to enter into an agreement with Penn Care to purchase a Braun Chief XL, Ford F-550 4x4 diesel chassis ambulance at a cost not to exceed Three Hundred Eighty-Six Thousand, One-Hundred Forty-Eight Dollars (\$386,148.00) in accordance with the proposal attached hereto as Exhibit A.

SECTION 2. It is found and determined that all formal actions of Council concerning or relating to the passage of this Resolution were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 3. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the citizens of the City of Perrysburg, Wood County, Ohio, in order to allow for the immediate purchase of the emergency vehicle for the safety of the City of Perrysburg, and shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____



Emergency Vehicle Purchase Agreement
May 8, 23

Purchaser:

City of Perrysburg
26100 Fort Meigs Rd.
Perrysburg, OH 43551

Seller:

Penn Care, Inc.
1317 North Rd.
Niles, OH 44446

The City of Perrysburg intends to purchase through the Ohio Department of Administrative Services State Term Schedule purchasing program from Penn Care Inc., two (2) Braun Chief XL vehicles on the Ford F-550 4x4 Diesel Chassis, as designed per the attached specifications, and when applicable, technical drawings, graphic design and other required documents. Additions, deletions and/or changes must be approved by all parties in writing and may cause delays in deliveries and additional charges to the purchaser.

PRICING

Ambulance Conversion:	\$308,991.00
Chassis Price (Estimate Only):	\$77,156.00
Graphics:	None
Additional Equipment:	None
FIN Rebate (Estimate Only):	TBD

Total Per Unit Due at Delivery: \$386,148.00

**CHASSIS AVAILABILITY, PRICING, AND
MANUFACTURES INCENTIVE:**

Chassis year, price and manufactures incentives are priced as budgetary estimations ONLY and will not be finalized until the chassis arrives at the ambulance manufacturing facilities.

DELIVERY TIMES

Quoted lead times and delivery expectations quoted by Penn Care, Inc. are approximate and not guaranteed. Quoted lead times will be extended for Change Orders, delays from the chassis OEM and Force Majeure.

TRADE DESCRIPTION:

TRADE-IN TERMS AND APPRAISAL



Where Purchaser wishes to trade-in a used motor vehicle as part of the consideration for the motor vehicle ordered, Seller may appraise the trade-in at the time of the execution of this order by Purchaser. Seller also reserves the right to reappraise the trade-in at the time of delivery. The seller shall not alter a Trade-In appraisal from the time of the initial appraisal until the time of delivery unless:

- 1) Intervening factors indicate an apparent decrease in the value of the value of the trade-in over and above ordinary wear and tear
- 2) A change occurs in the mechanical performance of the vehicle
- 3) Emergency, medical, and/or other equipment/components have been removed that were not previously discussed and agreed to in writing
- 4) The Seller has made any misrepresentation of the vehicle and/or components to Penn Care, Inc.

WARRANTY

No representation has been made by Penn Care, Inc., except as herein stated and no warranties, expressed or implied, may arise except from this writing. All warranties are issued by the chassis manufacturer, the ambulance builder, and/or component parts suppliers and Penn Care, Inc. shall have no liability with respect to warranties issued by the chassis manufacturer, the ambulance builder, and component parts suppliers. Used vehicles are "as is" and have no warranty.

INVOICING AND PAYMENT

Unless otherwise agreed to in writing, Penn Care, Inc. will invoice the Purchaser 30 days prior to the scheduled delivery date. Upon completion of production and quality inspection by the Purchaser the vehicle is declared ready for delivery and payment will be due upon acceptance and/or delivery.

PAYMENT OF SALES AND USE TAXES

The price for the motor vehicle specified in this agreement does not include Sales Taxes and Use Taxes (Federal, State, or Local) unless expressly stated. Purchaser assumes and agrees to pay, unless prohibited by law, and such Sales, Use, or Occupational Taxes imposed on or applicable to the transaction covered by this agreement, regardless of which party may have primary tax liability.

ACCEPTANCE

When requesting a final inspection the Purchaser shall inspect the vehicle(s) within 10-days of notification of completion of production. Vehicles not inspected by buyer will be deemed complete and ready for delivery, and payment will be due upon delivery. Items and issues discovered after the 10-day window shall not hold up payment from buyer to Penn Care Inc., these issues will be handled as warranty claims following the normal procedures.

PAYMENT AND TITLE

All payments shall be made in U.S. dollars either by certified check or wire transfers, credit card payments are not acceptable without prior written authorization (fees will apply). Payment terms are COD, unless otherwise agreed to in writing by Penn Care, Inc. Interest terms begin 16-days from date of delivery and are charged at a rate of prime plus 6%. MSO and title are released to Purchaser upon payment in full, including any related interest, shipping expenses, and other related costs and expenses to Penn Care Inc. or to the appointed floor plan financing company.

As collateral security for the payment of the purchase price of the Vehicles, Buyer hereby grants to Penn Care Inc., a lien on and security interest in and to all of the right, title, and interest of Purchaser in, to, and under the Vehicles, wherever located, and whether now existing or hereafter arising or acquired from time to time, and in all accessions thereto and replacements or modifications thereof, as well as all proceeds, including insurance proceeds, of the foregoing. The security interest granted under this provision constitutes a purchase money security interest under the Ohio Uniform Commercial Code.

CANCELLATION

Penn Care, Inc., may, in its sole discretion, and without liability or penalty, cancel this order at its sole discretion. Once Penn Care's manufactures commence engineering, no cancellation of this order is permitted, and the full purchase price is due and payable to Penn Care, Inc. Notwithstanding other provisions of this Agreement, and in addition thereto, Penn Care, Inc. shall be entitled to its reasonable and anticipated lost profit from such cancellation.

FORCE MAJEURE

Penn Care, Inc. shall not be liable or responsible to Purchaser, nor be deemed to have defaulted or breached these Terms and Conditions, for any failure or delay in fulfilling or performing any of these Terms and Conditions when and to the extent such failure or delay is caused by or results from acts or circumstances beyond the reasonable control of Penn Care, Inc., and/or the manufactures which Penn Care, Inc. represents including, without limitation, acts of God, flood, fire, earthquake, explosion, governmental actions, war, invasion or hostilities, terrorist threats or acts, riot or other civil unrest, national emergency, revolution, insurrection, epidemic, lockouts, strikes or other labor disputes (whether or not relating to either party's workforce), restraints or delays affecting carriers, inability or delay in obtaining supplies of adequate or suitable materials, or telecommunication breakdown, or power outage.

DEFAULT/ATTORNEY'S FEES



Purchaser is in default of the Terms and Conditions if any of the following occurs (except as prohibited by law): (i) Purchaser fails to perform any obligation that Purchaser has undertaken in these Terms and Conditions; or (ii) Penn Care, Inc., in good faith, believes that Purchaser cannot, or will not, pay or perform the obligations it has agreed to in the Terms and Conditions.

If Purchaser defaults, or in the event Penn Care, Inc. brings an action or proceeding to enforce the terms hereof or declare rights hereunder, Purchaser agrees to pay Penn Care, Inc. costs for collecting amounts owing, including, without limitation, court costs, attorney's fees (for attorneys who are not our salaried employees), and fees for repossession, repair, storage, and sale of Vehicles, all without relief from valuation and appraisal laws.

GOVERNING LAW

All of terms and provisions of the agreement and the rights and obligations of the parties hereto shall be interpreted and enforced in accordance with the laws of the State of Ohio.

REMEDIES

If Purchaser is in default of these Terms and Conditions, Penn Care, Inc. shall have all the remedies provided by law in these Terms and Conditions: (i) Penn Care, Inc. may require Purchaser to immediately pay Penn Care, Inc., subject to any refund required by law, the remaining unpaid balance due; (ii) Penn Care, Inc. may require Purchaser to make the Vehicle available to Penn Care, Inc. at a designated place that is reasonably convenient to each party; (iii) Penn Care, Inc. may immediately take possession of the Vehicle by legal process or self-help, but in doing so Penn Care, Inc. may not breach the peace or unlawfully enter onto Purchaser's premises; (iv) Penn Care, Inc. may then sell the Vehicle and apply what it receives as provided by law to Penn Care, Inc. reasonable expenses and then toward Purchaser's obligations; and (v) Except when prohibited by law, Penn Care, Inc. may sue Purchaser for additional amounts if the proceeds of a sale do not pay all of the amounts Purchaser owes to Penn Care, Inc. By choosing any one or more of these remedies, Penn Care, Inc. does not waive its right to use another remedy. By deciding not to use any remedy, Penn Care, Inc. does not give up its right to consider the event a default if it happens again.

PURCHASER

Signature: _____

Name/Title: _____

Date: _____



Quotation Summary

Travis Krieger 3 Braun Proposals 2023-05-09 18-50-39

Reference: QU00000006907 **Rev:** 3
Purchaser: Penn Care
Contact: Taylor Pease
Address: 1317 North Road

Niles, OH

Opportunity: Perrysburg FD
Account: Perrysburg FD
Contact: Joel Whitmore
Shipping Address:

,

Telephone:

Currency: USD
Quotation Date: 2023-03-20
Expiration: 2023-04-19

Sales Contact: Travis Krieger
Mobile: 330-696-3066
Phone: 330-696-3066

Factory Contact: Kris Turner
Mobile:

Name	Specifications
Chief XL Type I	-72" Headroom -169"L Full Seam Welded Module
	

Product	Description	Quantity	Unit Net	Total Net
CHFSLI	169" long x 96" wide module with 72" headroom.	2.00		

Price Details	Price
Chassis	77,156.00
Base and options	238,857.00
Custom Options	70,135.00
List Price Per Unit	386,148.00

* Estimated freight (to be re-evaluated at time of shipping)



Sales Options by Category

Braun - KKK Change Notice

Item Number	Name	Quantity	Price
00-01-0001	GENERAL CONDITIONS	1.00	Included
00-01-0006	DYNAMIC SIDE IMPACT & ROLLOVER TESTS	1.00	Included
00-01-0017	BIDDER IS KKK-A-1822F AMENDMENT 1 COMPLIANT	1.00	Included
80-10-0000	KKK-A-1822F COMPLIANCE PACKAGE KKK-A-1822F compliance sticker, electrical load analysis sticker, and payload sticker shall be installed in the oxygen compartment. Any deviations from KKK-A-1822F shall be listed in the vehicle delivery packet with a notation on the-compliance sticker.	1.00	Included
00-01-0029	CONTRACT REQUIRED STS, HGAC, FSA, SOURCEWELL or GPO contract required	1.00	Included

Braun - Chassis

Item Number	Name	Quantity	Price
SR00137422	AIR HORNS - BUELL DUAL TRUMPETS 10" and 12" THRU BUMPER W/ LANYRD Air Horn - (Buell) dual trumpets, one (1) 10" and one (1) 12", mounted thru front bumper, one each side, compressor per drawing. The air horns shall be activated by a push button located on the MCC (master control console) and by a lanyard cable installed in the OEM cab headliner area, unless otherwise stated	1.00	2,617.00
SR00137427	CUSTOMER SUPPLIED SECURE 3 KEY KNOX BOX-MCC: Braun is to install a customer supplied secure 3 key Knox Box (08796-2) to the cab console. Per console layout.	1.00	479.00
SR00137434	CODE 3 VITAL VIO DECONTAMINATION SYSTEM PCL-LED-VV PATIENT LIGHT VV, 48LED, 12-24VDC (BARE LEADS) Install (2) Code 3 Vital Vio Antimicrobial Light Disinfection units in cab Headliner.	1.00	1,267.00
SR00137472	SIREN SPEAKERS, CAST PRODUCTS - IN FRONT BUMPER Two (2) Cast Products - 100-watt siren speakers, shall be installed in the the front bumper.	1.00	Included



SR00141249	----- CHIEF XL I AMBULANCE MODULE MY2025 Type I - Ambulance - Chief XL I Ford - 173" module length with 74" headroom. Manufactured in Van Wert, Ohio, USA	1.00	Included
SR00152318	----- BUMPER/GRILLE GUARD BUCKSTOP Install a Buckstop Outback Bumper/Grille Guard, Black	1.00	6,699.00
00-01-0040	----- Administration Fee	1.00	Included
CH_F4550L	----- CHASSIS - FORD F550 193" WB 4X4 DRW (108 C.A.) DIESEL ENGINE FORD F550 CHASSIS CAB, 193" WB 4X4 DRW (108" C.A.)	1.00	77,156.00
15-00-0010	----- FUEL TANK - FULL UPON FACTORY RELEASE The chassis fuel tank of the completed unit shall be full at time of release from the ambulance manufacturer's facility.	1.00	Included
20-10-0603	----- ENGINE BLOCK HEATER - OEM PLUG An engine block heater shall be included in the chassis with the 125 VAC power cord.	1.00	Included
20-20-0252	----- HEAT SHIELDS, PROTECTIVE Install: aluminized steel protective heat shields to the upper laterals above the exhaust system.	1.00	Included
20-20-0277	----- HIGH IDLE SYSTEM, AUTOMATIC A high-idle module will be added to the chassis. The high idle will be engaged automatically by the M-Tech system when all chassis parameters are met. Chassis parameters include but not limited to vehicle in park, service brake not depressed, accelerator not depressed, parking brake set. High-idle is also activated by the M- Tech heat or A/C.	1.00	Included
20-01-0105	----- SUSPENSION - LIQUID SPRING TYPE I Install: Liquid Spring	1.00	Included
20-10-0206	----- BATTERY - TWO SYSTEM - F SERIES CHASSIS The vehicle shall have a 12 V two (2) battery system rated at 1500 cold cranking amps. Both batteries shall be securely installed in the Ford OEM locations, under the vehicle hood.	1.00	Included
20-21-0101	----- FLOOR CONSOLE F450/F550 STANDARD CONSOLE - ALUMINUM	1.00	Included



PLEASE NOTE: Console drawings are for reference only and do not include all features depicted on the drawings. All consoles shall be designed, priced, and approved internally to allow for accurate BOM pricing. The prices shown are estimated for general budget pricing only and pricing is subject to design; must contact manufacturer for pricing validation.			
20-10-0112	INBOARD ARM RESTS FOR ALUMINUM CONSOLE Install: inboard arm rests in the cab. (arm rests Havis Shields C-ARM-102 mount to the aluminum floor console)	1.00	Included
30-10-0030	BACKUP ALARM Install: (OSHA approved) back up alarm with a disable control for silent backing, located on the MCC (master control console).	1.00	Included
20-30-0806	RUNNING BOARDS - STAR PUNCHED DIAMOND PLATE Aluminum diamond plate running boards with a star punched non-skid surface shall be provided on the cab. The running boards shall be dip anodized after they are formed to retain finish and increase corrosion resistance.	1.00	Included
40-10-0117	DEF TANK FILL PROTECTOR - STAINLESS STEEL Install: stainless steel DEF tank fill protector per drawing.	1.00	110.00
40-10-0112	FUEL FILL PROTECTOR - STAINLESS STEEL Install: stainless steel fuel fill protector per drawing.	1.00	110.00
30-25-0204	LIGHTS RUNNING BOARD -WHELEN 2 inch round-LED Install: (1) pair of Whelen white TOCACCOR LED lights with black grommets, (1) each side, low on the module front, as running board lights, activated with the cab door switches. per dwg # 1 (Braun part #18105 Light and #18106 Grommet).	1.00	Included
20-30-0202	MIRRORS, EXT OEM MANUAL TELESCOPING W/REMOTE & HEAT The chassis shall have OEM manual telescoping, folding trailer tow mirrors with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals.	1.00	Included
20-30-0261	OEM AUTO-LOCK DISABLED (cab & module doors do not auto lock or unlock) The OEM auto-lock feature will be disabled.	1.00	Included
20-20-0281	SECURITY SYSTEM - ANTI THEFT- IGNITION OVER RIDE Install Sound Off Ignition security system. (ignition over	1.00	473.00



	ride) -----		
30-10-0753	SIREN, WHELEN 295-HFSA7-REMOTE WITH MICROPHONE (Meets CA Title 13) A Whelen 295-HFSA7 remote dual siren amplifier shall be flush-mounted in the master control console located in the cab. The siren shall be capable of hands-free operation and shall be equipped with a noise canceling microphone. (Meets CA Title 13) -----	1.00	Included
20-40-0203	WHEELS, FORGED POLISHED ALUMINUM - 19.5 - F450/550 193" WB Forged, polished aluminum wheels shall be provided, to include bright hub covers and center ornaments and valve stem extensions. -----	1.00	Included
Braun - Electrical			
Item Number	Name	Quantity	Price
SR00137418	OEM AUXILLARY SWITCHES, FLOODLIGHT ACTIVATION External change: Ford OEM aux switches to activate the floodlights. Furthest left switch shall activate the street side PFH2 flood light. The next switch to the right shall activate the front flood light. The next switch to the right shall activate the curbside PFH2 flood light. (SR137444) -----	1.00	278.00
SR00137432	LOCKS POWER - PASSAGE, COMPARTMENTS, KEY FOBS Power door locks on module passage doors, and (6) OSS compartments, use OEM key fobs. -----	1.00	Included
SR00137475	SYSTEM ACTIVE AND CHECK OUT LIGHTS -15 MINUTES Switch: located at the curb and rear entry doors for activation of the V-MUX electrical system, check out light switch located at the curb and rear doors for activation of the left LED angled lights prior to entering the module, system programmed to shut down automatically after 15 minutes unless the ignition is on. -----	1.00	Included
SR00137479	LIGHTS, OSS COMPARTMENTS - RIDGEBACK LED STRIP LIGHTING: Each outside storage compartment Ridgeback LED strip lighting located one each side of the door opening, activated by a magnetic switch, excluding battery compartment. Lengths dependent on OSS dimensions. -----	1.00	Included
SR00154109	LIGHTS, INTERIOR CABINETS, RIDGEBACK 12V LED STRIP LIGHT, BLUE All polycarbonate door(s), interior cabinets shall have Ridgeback 12V blue LED strip lights	1.00	1,195.00



	for interior compartment lighting.		
30-06-0004	----- ELECTRICAL SYSTEM - WELDON V-MUX, MICRO PROCESSOR BASED Install: Weldon V-MUX 100% solid state microprocessor based multiplex system. -----	1.00	Included
30-10-0110	----- ELECTRICAL CIRCUITS All electrical circuits: shall have wiring and circuit protection suitable to the demand and must meet the national electric code (NEC) wiring requirements, added on wiring (18 GA through 10 GA) color coded and stamped with code numbers for easy identification, SLX high temperature thermoplastic cross link wire used. SGX insulated cable used for all under hood / underbody battery and charging system cable. High temperature (375° f) thermoplastic loom used on all harnesses. -----	1.00	Included
30-06-0126	----- ELECTRICAL COMPARTMENT (PDQ) - MULTIPLEX ELECTRICAL SYSTEM Electrical compartment / hinged door w/ (2) chrome locking lever latches/ located on the partition wall behind the attendant seat. -----	1.00	Included
30-06-0325	----- FLASHER - MULTIPLEX ELECTRICAL SYSTEM Provide: Flasher within and programmed by the multiplex electrical system. -----	1.00	Included
30-06-0350	----- FLASHING HEADLIGHTS - MULTIPLEX ELECTRICAL SYSTEM Headlights (high beams) shall be programmed through the multiplex system to alternate flash (wig-wag). -----	1.00	Included
30-10-0190	----- GROUND FAULT CIRCUIT INTERRUPTER-GFCI Install: A 125 VAC, 20 AMP circuit breaker with ground fault circuit interrupter (GFCI) electronic ground leakage detection in the load center for the shoreline circuit. -----	1.00	Included
30-06-0285	----- MODULE DISCONNECT - MULTIPLEX ELECTRICAL SYSTEM Install: In-Power disconnect to keep the system power engaged after the ignition is switched to the "off" position. -----	1.00	Included
30-06-0575	----- REVERSE -TRANSMISSION- FUNCTIONS - MULTIPLEX ELECTRICAL SYSTEM System programmed to provide activation for: rear outboard warning lights, rear side warning lights, rear scene lights, the rear side scene lights - when the	1.00	Included



	transmission selector lever is placed into "reverse" position. -----		
30-06-0150	SPARE CIRCUIT - MULTIPLEX ELECTRICAL SYSTEM Provide (1) spare 15-amp circuit. -----	1.00	Included
30-06-0175	WIRING HARNESS CONNECTORS - MULTIPLEX ELECTRICAL SYSTEM Connect all wiring harnesses via quick connect circular plug connectors. -----	1.00	Included
30-06-0300	VOLTMETER - MULTIPLEX ELECTRICAL SYSTEM Provide: (1) digital voltmeter on the master control console screen. -----	1.00	Included
30-06-0026	WARNING DISPLAY - MULTIPLEX ELECTRICAL SYSTEM Install: digital warning display integrated into the cab display console, programmed through the multiplex system to provide visual and audible indication. -----	1.00	Included
30-06-0225	EMERGENCY MASTER SWITCH - MULTIPLEX ELECTRICAL SYSTEM Supply: A single emergency master switch for activating all the emergency warning lights on the master control console screen, emergency master switch will activate the module power automatically, include an Emergency Master Menu button to allow access to individual warning light functions. -----	1.00	Included
30-06-0250	CONTROL PANEL SWITCHES - MULTIPLEX ELECTRICAL SYSTEM Switches on the master control console and attendant control panel screens shall have dimmable perimeter backlighting. -----	1.00	Included
30-06-0275	MODULE POWER SWITCH - MULTIPLEX ELECTRICAL SYSTEM Provide: A module power switch for the electrical system on both the Master Control Console and the Attendant Control Panel screens. -----	1.00	Included
30-06-0101	ATTENDANT CONTROL PANEL (ACP) - MULTIPLEX ELECTRICAL SYSTEM Attendant Control Panel (ACP) contains a color micro processor screen, controls all equipment installed in the patient compartment. -----	1.00	Included
30-06-0375	PARK OVERRIDE - MULTIPLEX ELECTRICAL SYSTEM Park override switch on the master control console screen, reactivates all lights disabled when the transmission is placed in the neutral/park position. -----	1.00	Included



30-06-0400	LOAD MANAGER-SEQUENTIAL SWITCHING SYSTEM - MULTIPLEX ELECTRICAL SYSTEM Load manager-sequential switching system controlled by the microprocessor based electrical system: emergency master button shall control the sequential switching of the emergency lights and/or other warning devices, load manager shall automatically shed non-critical electrical loads during low voltage conditions. -----	1.00	Included
30-06-0450	FRONT CLEAR DISABLE SWITCH - MULTIPLEX ELECTRICAL SYSTEM Activation of the switch on the master control console screen to disable all forward-facing clear warning lights. -----	1.00	Included
30-06-0076	MASTER CONTROL CONSOLE (MCC) - MULTIPLEX ELECTRICAL SYSTEM Floor mounted Master Control Console (MCC) located in the cab, housing siren, color microprocessor display screen, controlling all the Emergency Warning functions, Patient Compartment lighting and module heat/ac functions. -----	1.00	Included
30-06-0475	CURBSIDE SCENE LIGHTS ON WITH CURBSIDE DOOR The Curbside scene lights: programmed to activate when the Curbside door is in the open position. -----	1.00	Included
30-06-0500	REAR SCENE LIGHTS ON WITH REAR DOORS OPEN Rear scene lights programmed to activate when the rear doors are in the open position. -----	1.00	Included
30-06-0525	DISABLE SWITCH FOR REAR SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM Install: disable switch at the rear door area to disable the rear scene lights. -----	1.00	Included
30-06-0550	DISABLE SWITCH FOR SIDE SCENE LIGHTS - MULTIPLEX ELECTRICAL SYSTEM A disable switch shall be installed at the curbside door area to disable the curbside scene lights. -----	1.00	Included
30-06-0015	VISTA IV ACP - PUSH BUTTON Install: Weldon V-MUX Vista IV interface module / display screen mounted on an angled flip - down panel with chrome lever latches, in the patient compartment ACP area. -----	1.00	Included
30-06-0010	VISTA IV MCC - PUSH BUTTON Install: Weldon V-MUX Vista IV interface module / display screen in the cab, operated through the use of push buttons. -----	1.00	Included
30-10-0903	VISTA DISPLAY SCREEN - PUSH BUTTON - CURBSIDE -	1.00	2,576.00



	FIXED ANGLED One (1) Vista screen shall be provided in the patient compartment on the curbside wall on a fixed angled mount with removable plate per the location on dwg. #6.		
30-06-0050	DAYTIME RUNNING LAMPS - MULTIPLEX ELECTRICAL SYSTEM OEM Daytime Running Light headlights activated for daytime operation, when transmission is placed in drive.	1.00	Included
30-10-0073	CAMERA PATIENT AREA SINGLE SYSTEM - VISTA SCREEN Install: camera system to monitor the patient compartment, tied to M-Tech display screen. See Dwg #8	1.00	722.00
30-10-0071	CAMERA REAR VIEW - SINGLE SYSTEM - VISTA SCREEN Install: camera system rear view, tied to M-Tech display screen. Per Dwg #2. Camera alignment will be conducted at final inspection, if applicable.	1.00	Included
30-10-0150	FAN - CIRCULATION INSTALLED IN ELECTRICAL COMPARTMENT Install: Circulation fan in PDQ compartment	1.00	Included
30-10-0585	USB - DUAL OUTLET, ONE (1) INTERIOR LOCATED ON CONSOLE Install: (1) dual USB port outlet, 5 volt / 2.1 amp, in the vehicle, located on the Master Control Console in the cab.	1.00	Included
USBAA101	OUTLET, USB - ONE (1) DUAL - PRIMARY ACTION AREA One (1) dual USB port outlet, 5 volt / 2.1 amp, shall be installed in the vehicle, located on the streetside primary action area in the patient compartment.	1.00	Included
125AA101	OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX - LEFT WALL ACTION AREA One (1) 2-wire +plus ground 125 VAC duplex outlet in the street side wall in the primary action area.	1.00	Included
125ADD	OUTLET, ADDITIONAL-125VAC Cab behind the passenger seat (1) LOWER FRONT WALL CBINET #2 (1) ABOVE CABINET HEAD OF SQUAD BENCH (3) FRONT WALL CABINET #1 OSS #3 UPPER FRONT WALL	7.00	742.00
125IF201	OUTLET, 125VAC - ONE (1) INTERIOR DUPLEX - FRONT WALL CABINET	1.00	Included



	One (1) 2-wire +plus ground 125 VAC duplex outlet in the front wall cabinet.		
30-10-0258	----- INVERTER, VANNER - 1100 WATT, LIFESINE LSC 12-1100-DC CHARGER Install: Vanner LifeSine LSC 12-1100-DC watt inverter with battery conditioner / charger per drawing (non-hardwired). -----	1.00	2,277.00
12VAA101	OUTLET, 12VDC - ONE (1) - LEFT WALL ACTION AREA One (1) 12 VDC power point outlet shall be installed in the street side wall in the primary action area. The outlet shall be labeled, "12 VDC". A Schottky diode medical isolator shall be provided to protect the 12 VDC outlet. -----	1.00	Included
12VADD	OUTLET, ADDITIONAL-12V (2) FRONT WALL CABINET #1 (1) LOWER FRONT WALL CABINET #2 (1) ABOVE CABINET HEAD OF SQUAD BENCH (1) OSS #3 UPPER FRONT WALL -----	5.00	425.00
12VIF201	OUTLET, 12VDC - ONE (1) FRONT WALL - CABINET One (1) 12 VDC power point outlet shall be installed in the patient compartment, in the front wall cabinet. The outlet shall be labeled, "12 VDC". A Schottky diode medical isolator shall be provided to protect the 12 VDC outlet. -----	1.00	Included
30-12-0001	RECEPTACLE SHORELINE INLET-SUPER 20 AMP, AUTO EJECT - YELLOW COVER Install: Kussmaul super auto eject shoreline inlet receptacle with yellow cover on module exterior (forward street side) near the driver's door, equipped with an integral dynamic disconnect. -----	1.00	Included
30-10-0094	SHORELINE INDICATOR LIGHT- ALLIED VCC GREEN MINI NEON - EXTERIOR MOUNTED Install: (1) Allied VCC green mini neon indicator light above the shoreline inlet per drawings. The indicator shall illuminate when shoreline power is present at the inlet. -----	1.00	Included
30-10-0657	RADIO ANTENNA BASES - TWO (2) Enter antenna information here Two (2) antenna bases with attached coax cables shall be installed on the module roof. The coax cables shall terminate in the PDQ. Access to the antenna bases shall be through adjacent module interior dome lights. -----	1.00	Included
30-10-0299	LIGHT, ATTENDANT CONTROL PANEL AREA - TECNIQ SILHO-X LED - WARM WHITE -----	1.00	Included



	A Tecniq Silho-X 2.75" round warm white LED light with SS trim ring, shall be mounted above the left wall forward action area counter. The light shall be operated through a button on the ACP Vista screen labeled "Attendant Light". (Braun #26415)		
30-10-0310	LIGHT, LED ELECTRICAL COMPARTMENT -PDQ A 12 VDC LED light shall be located in the PDQ. The light shall be wired "battery-hot" to activate when the PDQ door is in the open position. The light shall be off when the door is in the closed position.	1.00	Included
30-11-0106	LIGHTS, DOME LED (8) WHELEN SUPER LED Eight (8) Whelen #LED (80C0EHCR) dome lights, shall be installed. See dwg #9	1.00	Included
30-11-0155	LIGHTS, DELETE LIGHTS ON PANEL STREETSIDE - ANGLED Delete /omit lights on interior Streetside angled panel.	1.00	Included
40-10-0151	SWITCH DOOR UNLOCK, WATERPROOF - HIDDEN IN FRONT GRILLE AREA Install: exterior hidden door unlock switch in grille area.	1.00	Included
30-06-0201	RADIO TIE-IN POINT - (1) 12V/40 AMP - CAB CONSOLE AREA Install (1) set of 12 volt/40 amp radio tie-in studs in cab console: (1) battery hot, (1) ignition hot, (1) grounded stud.	1.00	Included
30-06-0202	RADIO TIE-IN POINT - (1) 12V/40 AMP - PATIENT COMPARTMENT Install (1) set of 12 volt/40 amp radio tie-in studs in patient compartment: (1) battery hot, (1) ignition hot, (1) grounded stud.	1.00	Included
30-06-0203	RADIO TIE-IN POINT - (1) 12V/250 AMP - PDQ Install (1) set of 12 volt/250 amp radio tie-in studs in the PDQ: (1) battery hot, (1) ignition hot, (1) grounded stud.	1.00	Included

Braun - Exterior Lighting

Item Number	Name	Quantity	Price
SR00137414	LIGHTS -FRONT MODULE-(2) WHELEN 600 ROTO-BEAM LED Install two (2) Whelen 600 Roto-beam LED lights on the front of the module, outboard of the warning lights. Per dwg #1	1.00	1,230.00
SR00137423	LIGHTS, UNDERBODY TECNIQ E10 LED Install: (6) Tecniq E10 white LED lights mounted on brackets	1.00	946.00



	underneath the module, turn on automatically when the vehicle is shifted into park, also activated or disabled by a switch on the MCC Vista display screen (Braun #27245).		
SR00137425	----- LIGHTS - (4) WHELEN 700 SCENE LIGHTS - CONDENSER Install four (4) Whelen 700 LED scene lights with chrome flanges to the condenser. There shall be two (2) on the front of the condenser and one (1) on each side.	1.00	1,025.00
SR00137444	----- LIGHT, FRONT MODULE FLOOD (1) - WHELEN PIONEER PLUS (PCH1) COMBO- FLOOD & SPOT A Whelen Pioneer Plus LED (PCH1) dual panel combination floodlight with (PBH103) recessed housing shall be installed in the center position. This light shall operate from the OEM switches in the Cab. Furthest Left Switch to activate the Left flood light, the next shall operate the Front and the third switch from the left is to operate the right flood light.	1.00	1,818.00
SR00137451	----- LIGHTS FRONT MODULE - 4 WHELEN 900 SUPER RED LED Four (4) Whelen 900 series super LED RED warning lights with chrome bezels shall be installed on the module front. The lights shall operate from a switch on the master control console, labeled "Flashers". FRONT WARNING LIGHT LOCATION 2 - RED The warning light located on the upper front of the module in location 1 shall be red. FRONT WARNING LIGHT LOCATION 3 - RED The warning light located on the upper front of the module in location 2 shall be red. FRONT WARNING LIGHT LOCATION 5 - RED The warning light located on the upper front of the module in location 3 shall be red. FRONT WARNING LIGHT LOCATION 6 - RED The warning light located on the upper front of the module in location 4 shall be red.	1.00	Included
SR00137459	----- LIGHT INTERIOR OF REAR FACING OSS & PASSAGE DOORS, TWO (2) RED MINI LED PER DOOR Two (2) Whelen red Mini LED lights shall be installed on the interior of all rear facing exterior compartment and patient entry doors. The lights shall be located as follows: one (1) on each upper and lower outer corner. The lights shall random flash upon door opening. (does not include the battery door) (16 lights)	1.00	Included
SR00137463	----- LIGHTS, RUB RAIL - WHELEN LED STRIP - 4 EACH SIDE Install: Whelen strip lights on rub rail, (4) LED's each	1.00	2,322.00



	side - (2) red LED's and (2) white LED's alternating in color (red-white-red-white) along the module side, total of eight (8) lights, alternate flash with box warning lights.		
SR00137471	----- LIGHTS, SIDE MODULE FLOOD (2) - WHELEN PIONEER PLUS LED DUAL (PFH2) Two (2) Whelen Pioneer Plus LED (PFH2) dual lamp floodlights with (PBH203) chrome trim ring shall be installed, one (1) each module side in the center position. These lights shall operate from The OEM switches in the Cab. Furthest Left Switch to activate the Left flood light, the next shall operate the Front and the third switch from the left is to operate the right flood light.	1.00	4,165.00
SR00155449	----- LIGHTS FRONT MODULE - (1) WHELEN 700 SUPER LED Install (1) Whelen Super LED light with chrome flange, white, above the PCH1 pioneer light, centered on the upper front of module	1.00	Included
30-06-0410	----- WARNING LIGHTS FLASH PATTERN SIGNAL ALERT 75 - MULTIPLEX ELECTRICAL SYSTEM The default flash pattern for the vehicle warning lights: Signal Alert 75.	1.00	Included
ClearLENS	----- CLEAR LENSES ON ALL WARNING LIGHTS	1.00	Included
GWL050004	----- LIGHTS GRILLE - 4 WHELEN 500 SUPER LED Four (4) Whelen 500 series super LED warning lights, with waterproof connectors shall be installed the grille area of the chassis. The lights shall operate from a switch on the master control console labeled "Flashers".	1.00	Included
GWLC1R1R	----- GRILLE WARNING LIGHT LOCATION 1 - RED The warning light located on the grille in location 1 shall be red.	1.00	Included
GWLC1R2W	----- GRILLE WARNING LIGHT LOCATION 2 - WHITE The warning light located on the grille in location 2 shall be white.	1.00	Included
GWLC1R3R	----- GRILLE WARNING LIGHT LOCATION 3 - RED The warning light located on the grille in location 3 shall be red.	1.00	Included
GWLC1R4W	----- GRILLE WARNING LIGHT LOCATION 4 - WHITE The warning light located on the grille in location 4 shall	1.00	Included



	be white. -----		
STRPTRN	STRAIGHT PATTERN WARNING LIGHTS The front warning lights will be aligned in a straight pattern across the module. -----	1.00	Included
30-25-0122	LIGHTS, ICC / LED CLEARANCE - ON MODULE FRONT - TECNIQ Install: (5) amber Tecniq LED (S33-AA00-1) clearance / ICC lights on the front of the module near the roof line per dwg #1. -----	1.00	Included
FWLCLR2R	FRONT WARNING LIGHT LOCATION 2 - RED The warning light located on the upper front of the module in location 2 shall be red. -----	1.00	Included
FWLCLR4R	FRONT WARNING LIGHT LOCATION 4 - RED The warning light located on the upper front of the module in location 4 shall be red. -----	1.00	Included
30-25-0123	LIGHTS, ICC / LED CLEARANCE - ON MODULE REAR - TECNIQ Install: (5) red TECNIQ LED (S33-RR00-1) clearance / ICC lights on the rear of the module near the roof line per dwg #2. -----	1.00	Included
ROL090002	LIGHTS REAR MODULE, UPPER OUTER - 2 WHELEN 900 LED Two (2) Whelen 900 series super LED warning light with chrome bezels shall be installed on the upper rear of the module, in the outer location. The lights shall operate from a switch on the master control console, labeled "Flashers". -----	1.00	Included
ROLCLR1R	REAR OUTER MODULE LIGHT LOCATION 1 - RED The warning light located on upper rear of the module, in outer location 1 shall be red. -----	1.00	Included
ROLCLR2R	REAR OUTER MODULE LIGHT LOCATION 2 - RED The warning light located on upper rear of the module, in outer location 2 shall be red. -----	1.00	Included
RCL060001	LIGHTS REAR MODULE, UPPER CENTER - 1 WHELEN 600 LED One (1) Whelen 600 series super LED warning light with a chrome bezel shall be installed on the upper rear of the module, center location. The light shall operate from a switch on the master control console, labeled "Flashers". -----	1.00	Included
RCLCLR1A	REAR CENTER MODULE LIGHT LOCATION 1-AMBER The warning light located on upper rear of the module	1.00	Included



	in the center location shall be amber. -----		
RS060002	LIGHTS REAR SCENE - 2 WHELEN 600 LED Two (2) Whelen 600 Series super LED scene/load lights with chrome bezels shall be installed on the upper rear of the module. The lights shall operate from a switch on the master control console, labeled "Rear Scene Lights". -----	1.00	Included
30-26-2002	TRAFFIC ADVISOR REAR OF MODULE WHELEN TAL-85 Install: Whelen #TAL-85 LED directional light bar on the rear of the module per dwg #2, to have a multi-function controller mounted in the OEM chassis cab in console with cut out on top plate to accommodate multifunction controller switch. -----	1.00	1,518.00
WL090002	LIGHTS REAR WINDOW - 2 WHELEN 900 SUPER LED Two (2) Whelen 900 series super LED warning lights with chrome flanges shall be installed on the rear of the module at window level, one (1) on each side. These lights shall operate from a switch on the master control console, labeled "Flashers". -----	1.00	Included
WLCLR1R	WINDOW LEVEL LIGHT LOCATION 1 - RED The warning light located on rear of the module at window level, location 1 shall be red. -----	1.00	Included
WLCLR2R	WINDOW LEVEL LIGHT LOCATION 2 - RED The warning light located on rear of the module at window level, location 2 shall be red. -----	1.00	Included
30-26-3008	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, & MINIMUM INTENSITY BACK-UP Install: (1) pair each of Whelen 600 series LED stop/tail lights, turn lights, and LED MINIMUM intensity back-up lights with chrome bezels on rear of the module. -----	1.00	Included
30-26-7002	LIGHT, LICENSE PLATE LED - WHELEN OACOEDCR Install:(1) Whelen OACOEDCR LED license plate light with 45 deg angled chrome-plated bezel on the rear of module, lower left side. -----	1.00	Included
FIL07T0002	LIGHTS FRONT INTERSECTION - 2 WHELEN 700 LED W/15 DEGREE TILT HOUSING Two (2) Whelen 700 series super LED warning lights, with water-proof connectors, shall be mounted in 15 degree tilt housings on the front chassis fenders, one (1) on each side. The lights shall operate from a switch on the master control console labeled "Flashers". NOTE: When vehicle is placed in park, the override switch must be on for intersection light(s) to remain on. -----	1.00	Included



FILCLR1R	FRONT INTERSECTION LIGHT LOCATION 1 - RED The warning light located on front of the chassis fender in location 1 shall be red. -----	1.00	Included
FILCLR2R	FRONT INTERSECTION LIGHT LOCATION 2 - RED The warning light located on front of the chassis fender in location 2 shall be red. -----	1.00	Included
RIL070002	LIGHTS INTERSECTION REAR - 2 WHELEN 700 LED Two (2) Whelen 700 series super LED warning lights with, chrome flanges and water-proof connectors, shall be installed above the rear wheel wells, one (1) on each side. These lights shall operate from a switch on the master control console screen labeled "Flashers". NOTE: When vehicle is placed in park, the override switch must be on for intersection light(s) to remain on. -----	1.00	Included
RILCLR1R	REAR INTERSECTION LIGHT LOCATION 1 - RED The warning light located on above the rear wheel well at location 1 shall be red. -----	1.00	Included
RILCLR2R	REAR INTERSECTION LIGHT LOCATION 2 - RED The warning light located on above the rear wheel well at location 2 shall be red. -----	1.00	Included
30-27-1102	LIGHTS, ICC / LED CLEARANCE - ON MODULE SIDE - TECNIIQ Install: (2) red Tecniq LED (S33-RR00-1) clearance/ICC lights, (1) red on each side at rear of the vehicle, flash with turn signal, per Dwg #3 and #4. -----	1.00	Included
SWL090004	LIGHTS SIDE WARNING - 4 WHELEN 900 SUPER LED Four (4) Whelen 900 series super LED warning lights with chrome flanges shall be installed, two (2) on each side of module exterior per dwg. -----	1.00	Included
SWLCLR1R	SIDE WARNING LIGHT LOCATION 1 - RED The warning light located on side of the module, in outer location 1 shall be red. -----	1.00	Included
SWLCLR2R	SIDE WARNING LIGHT LOCATION 2 - RED The warning light located on side of the module, in outer location 2 shall be red. -----	1.00	Included
SWLCLR3R	SIDE WARNING LIGHT LOCATION 3 - RED The warning light located on side of the module, in outer location 3 shall be red. -----	1.00	Included
SWLCLR4R	SIDE WARNING LIGHT LOCATION 4 - RED The warning light located on side of the module, in outer location 4 shall be red. -----	1.00	Included



SS090004	LIGHTS SIDE SCENE - 4 WHELEN 900 24 DIODE LED Four (4) Whelen 900 series 24 Diode LED scene lights with chrome flanges shall be installed, two (2) each module side. These lights shall operate from switches on the master control console labeled "Left Scene Light" and "Right Scene Light".	1.00	Included
----------	--	------	----------

Braun - Module Body Construction

Item Number	Name	Quantity	Price
SR00137431	CUSTOM MODULE LENGTH & HEIGHT Module Headroom to be 74" and Length to be 173"	1.00	8,022.00
39-00-0005	AWS ALUMINUM CERTIFIED WELDERS	1.00	Included
39-10-0003	CONNECTIONS, MODULE Bolt: to the chassis frame rail with (12) 5/8" -11 grade 8 bolts through OEM rubber insulating spacers installed on outriggers at twelve (12) separate locations (six each frame rail), providing noise insulation and easy removal for chassis replacement, mounting bolts to be properly torqued and secured with lockite, system used for fastening the module to the frame to be that approved by the chassis manufacturer.	1.00	Included
40-00-0080	INSULATION - POLYURETHANE SPRAY FOAM The walls, ceiling, passage doors, outside storage doors, the entire underside of the module floor (except for mounting pads), the underside of the outside storage compartments, the wheel wells, and the underside of the curbside step area shall be completely foam - in - place insulated with nominal 3/4" thick sprayed on Class I, urethane foam for thermal and acoustical insulation. The insulation shall comply with FMVSS #302 flame spread requirements. The underside of the body shall be properly prepared to ensure adhesion before the spray insulation is applied.	1.00	Included
39-00-0001	MODULE BODY CONSTRUCTION - SEAMLESS Module: fabricated entirely of parts cut and formed from .125" (minimum) thickness 5052-H32 flat aluminum sheet stock, using CNC machines capable of .010" repeatability. This is the only alloy that may be used for body parts that are welded together. Roll-cage type interior super-structure, aluminum partition and module welded together into a single unit, roof designed with a minimum 1.5" crown to facilitate water	1.00	Included



run-off. Floor, roof, sides, all exterior doors fabricated from .125" (minimum) thick flat aluminum sheet stock, exterior joints between the roof and side components continuous full seam welded the entire length of the module. All exterior body panel joints continuous full seam welded. No VHB bonding tape or other adhesives used in the construction of the ambulance module.

39-00-0002	SOLE SOURCE MODULE BODY CONSTRUCTION	1.00	Included
------------	--------------------------------------	------	----------

Braun - Module Features / Exterior

Item Number	Name	Quantity	Price
SR00137437	OSS #1 - EZ-O2 LIFT OXYGEN SYSTEM OSS #1 streetside forward, with an EZ-O2 lift system, for housing an O2 cylinder. Install a fixed shelf 62" from the floor with a gasket to seal against the door to seal off the upper section of the compartment. Air horn compressor, suction pump, and inverter to be located above the shelf, louvers in the upper section, sound deadening material. Door post changes on forward side of OSS #1.	1.00	Included
SR00137457	BACKBOARD AND (2) ADJUSTABLE SHELVES WITH OUTSIDE ACCESS AND FIXED DIVIDER OSS #4 curbside rear, with one (1) fixed vertical divider for backboard/scoop stretcher storage rear side and and two (2) adjustable shelves forward of divider. Door open as far as possible and no track on the lower 32", referene 8196, hinged door with spring-loaded gas cylinder, locking handle installed on the exterior of the door.	1.00	Included
SR00137462	OSS #2 - (2) ADJUSTABLE SHELVES OSS #2 streetside center, with two (2) adjustable shelves.	1.00	Included
SR00137478	OSS #4A - OPEN STORAGE Outside storage compartment #4A, lower Curbside, located between compartment #4, and wheel: OSS #4A cubsid rear, hinged door with spring-loaded gas cylinder, locking handle installed on the exterior of the door.	1.00	Included
SR00152319	OSS #3 DOUBLE DOORS Double doors-Outside Access Only. Full height compartment with shallow upper portion. (1) Adj. Shelf. (shelf depth adjusted to allow for the full length tapping plate) in full depth lower section. Upper and lower section both to have a full size exterior tapping plate for post production tool mounting. Upper section to have minimum of 12"	1.00	4,855.00



depth from tapping plate to doors. 2 Zico SCBA brackets (installed at final inspection) to be affixed to the upper section tapping plate. OSS #3 streetside rear, hinged double doors with spring-loaded gas cylinder, locking handle installed on the exterior of the door. Doors to open as wide as possible.

40-00-0009	----- ALUMINUM PARTS - MODULE EXTERIOR All unpainted exterior aluminum parts to be bright dip anodized after fabrication to retain the finish and increase corrosion resistance. -----	1.00	Included
40-00-0010	----- CORROSION MINIMIZATION - MODULE All module contact with dissimilar metals shall be minimized with the use of nylon screw-hole inserts to provide hinge to door isolation with the module body, polypropylene strip hinge Isolation, polyethylene backed rubber tape, ceramic coated stainless steel hinge bolts, and ECK brand corrosion inhibitor spray. -----	1.00	Included
40-00-0020	----- DOOR CONSTRUCTION - GASKET PLACEMENT All exterior hinged module doors shall be constructed in an inverted pan-formed design. The pan shall be constructed from .125" thick 5052-H32 flat sheet aluminum. The exterior door skin shall be constructed of .190" thick aluminum and welded to the pan. Door gaskets shall be attached to the interior side of the door skin on the top, bottom and outer edge of the door. The gasket on the hinge side of the door will be attached to the door frame. -----	1.00	Included
40-00-0060	----- EXTERIOR COMPARTMENTS - SWEEP-OUT Exterior module compartments: a sweep-out design to aid in facilitation of the purchaser's routine care and cleaning of the vehicle. All exterior compartment floors, with the exception of the front ALS compartment to be constructed to be flush with the bottom door frame. -----	1.00	Included
40-00-0030	----- EXTERIOR COMPARTMENTS DESIGN All exterior compartments shall be vented and include: sound absorbing slip resistant polyurethane material sprayed on the inside of all compartments and compartment shelving, slide out trays and closeouts, baffled seep holes provided to prevent water from splashing or seeping into the exterior compartments, full-length, two-way adjustable, stainless steel hinges on all exterior compartment doors with 3/16" stainless steel hinge pins, compartment doors installed, flush with the module	1.00	Included



	body, when double doors are provided, each door to have exterior handle, but only the forward door lockable, rearward door is secured when forward door is locked), all exterior compartments and passage doors keyed alike, lockable Eberhard "free-floating" type chrome plated handles with rotary locks. Gasket installed under each handle to protect the paint; drip rails installed above all exterior compartment doors.		
40-00-0055	----- EXTERIOR COMPARTMENTS, VENTING - OXYGEN STORAGE (9) square inches (minimum) of venting provided in the exterior oxygen storage compartment, to dissipate any leaking oxygen gas. -----	1.00	Included
40-00-0070	----- HANDLES, EBERHARD - CHROME FREE FLOATING TYPE Install: Eberhard #EMC-1-2110 chrome "free-floating" handles on each exterior module door, large enough to accommodate a gloved hand. -----	1.00	Included
40-10-0072	----- LOWERED MODULE SIDES Module sides to be as low as possible and still comply with KKK-1822-F ramp break over angle. -----	1.00	Included
40-10-0321	----- STEPWELL, CURBSIDE DOORWAY - MID STEP AREA Install: aluminum diamond plate step well and mid-level step in curbside doorway threshold area. -----	1.00	Included
40-00-0091	----- THRESHOLD, STAINLESS STEEL - ALL OSS STORAGE COMPARTMENTS Each exterior storage compartment with a hinged door: stainless steel lower threshold at the door opening to protect the paint. -----	1.00	Included
40-10-0340	----- STONE GUARDS, MOD FRNT - ANODIZED DIAMOND PLATE Install: anodized aluminum diamond plate stone guards on module front, (1) each side. -----	1.00	Included
40-10-0066	----- DOOR SLIDING - MODULE CURBSIDE PASSAGE Install EZ Glide curb door. -----	1.00	Included
40-10-0088	----- DOORS - REAR PASSAGE Patient compartment rear door opening: doors flush without a protruding flange or lip, right rear passage door lockable, chrome exterior handle, left rear door non-locking, chrome exterior handle, all handles installed with a gasket, hinge full length stainless steel with a 3/16" stainless steel hinge pin, two-way	1.00	Included



	adjustable, each rear door two-point slam action automotive type rotary latching system to the body, right rear door lock to the body at the top and bottom, not to left rear door, doors .213" steel door latch activator rods with clevis adjusters, doors lockable from inside and outside, shut on molded, air-core, automotive type door seals to prevent water from leaking into vehicle interior.		
40-10-0130	EMERGENCY RELEASE LEVER, REAR PATIENT PASSAGE DOORS Install emergency release lever, attached to each rear passage door latch to be free-floating from the interior door linkages.	1.00	Included
40-10-0505	WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR FIXED) Curbside passage door (sliding) window with removable screen, rear passage doors w/ non-openable window, windows 69% dark tint, secured with black oxide coated fasteners, open doors not to block warning lights.	1.00	Included
40-10-0103	FENDERETTES - POLISHED ALUMINUM Install: Polished aluminum fenderettes around the rear wheel well openings.	1.00	Included
40-10-0119	HOLD-OPEN - REAR DOORS - GRABBERS Install: door grabbers (1 pair) with hard rubber inserts on rear doors.	1.00	Included
40-10-0360	KICKPLATE/THRESHOLD, REAR DOORWAY - ANODIZED DIAMOND PLATE Install: anodized aluminum diamond plate kick plate at the rear exterior doorway, providing a kick / scuff plate at rear of the vehicle above rear step, per dwg # 2.	1.00	Included
40-10-0204	MUD FLAPS, REAR - BLACK RUBBER FIBERGLASS REINFORCED - THREE COLOR Install black rubber, fiberglass reinforced mud flaps with a minimum 1/4" thickness bolted to underside of module behind rear wheels, to provide adequate coverage of rear dual wheels of the chassis, mud flaps to be (3) color with the Manufacturers Logo.	1.00	Included
40-10-0266	REAR STEP/BUMPER -FLIP-UP CENTER SECTION - STAR PUNCHED AND ANODIZED Affix: rear bumper to chassis frame, constructed with a hinged center section, (2) steel braces to secure step to chassis frame, outer 17" on each end of bumper constructed from heavy gauge stamped polished stainless steel bumper parts, to provide smooth	1.00	Included



	rounded corners, step constructed of star punched .125" thick aluminum diamond plate, (2) rear LED step illumination lights provided. All diamond plate surfaces to be anodized; strip of black PVC installed on face of step.		
40-10-0381	TOW HOOKS, MODULE REAR Secure: fasten (2) tow hooks in rear step area to rear step braces.	1.00	Included
40-10-0283	RUB RAILS, ANODIZED ALUMINUM, "C" CHANNEL Install: anodized aluminum "C" channel rub rails on lower sides of body below outside compartment sill areas, rub rails to be offset 3/16" from body.	1.00	Included
40-00-0019	DOOR SKINS, OUTSIDE STORAGE COMPARTMENTS - DIAMOND PLATE INTERIOR SKINS Interior door skins for all outside storage compartments constructed of .063" thick aluminum diamond plate.	1.00	Included
OS2XL1STD	OSS #2 - STREETSIDE CENTER OSS #2 streetside center, hinged double doors with spring-loaded gas cylinders, handles installed on the exterior of each door, forward door with locking handle.	1.00	Included
OS2SHELF2	OSS #2 - SHELVES TWO (2) ADJUSTABLE WITH TRACK Outside storage compartment #2 shall contain two (2) adjustable shelves with track.	1.00	Included
OS5XL1STD	OSS #5 - CURBSIDE FORWARD OSS #5 curbside forward, hinged door with spring-loaded gas cylinder, locking handle installed on the exterior of the door.	1.00	Included
OS5XL1OP1	OSS #5 - INSIDE/OUTSIDE ACCESS TO THE ALS CABINET - #5B OPEN STORAGE AREA OSS #5 curbside forward, inside/outside access to the ALS cabinet, and #5B lower storage area.	1.00	Included

Braun - Module Interior / Patient Compartment

Item Number	Name	Quantity	Price
SR00137424	CABINETS -FRONT WALL CABINETS WITH CARGO NETS, (3) ADJ. SHELVES total: Front wall, interior cabinets #2 shall each be single compartment and have a RED cargo net on each, Buckles shall be installed on the bottom of the net and compartment shall each have an adjustable shelf and also have an adjustable shelf acting as a barrier between the cabinets per dwg. #7.	1.00	1,825.00



SR00137433	CABINET- SLIDING POLYCARBONATE DOORS WITH (1) FIXED SHELF, SHALLOW DEPTH STORAGE RECESSED INTO OSS #3 Left wall rear interior cabinet (#3): flip-up restocking frame, sliding polycarbonate doors w/ full length handles, the outer most sliding door to have handles on both ends, (1) fixed shelf, shallow depth storage, with top/bottom dividers (6 top/6 bottom).	1.00	Included
SR00137435	CABINET - HINGED ALUMINUM DOOR WITH CENTER SQUEEZE LATCH AND GAS SHOCK HOLD-OPEN Front wall over pass thru interior cabinet (#5): cabinet w/ (1) flip up hinged aluminum door with gas filled hold-open shocks, center squeeze latch.	1.00	1,858.00
SR00137436	ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP - RECESSED A SSCOR suction system shall be recessed into the street side lower interior wall near the attendant's seat per dwg. #5 dimensions. The 12 VDC SSCOR electric vacuum pump to be installed in OSS #1 compartment. (must use SSCOR pump and tubing)	1.00	Included
SR00137438	OTE 19511B CLIMATE CONTROLLED CABINETS- TEMPERATURE CONTROL MODULE Install: (2) 12-volt OTE key locking climate controlled stacked cabinets at the action area counter, with an exterior vent.	1.00	7,238.00
SR00137439	STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE: A brushed stainless steel panel shall be provided on the street side wall 6" from the Floor. Per dwg. #5.	1.00	Included
SR00137443	CURB SIDE INTERIOR DRAWER #1 Cabinet with solid acrylic countertop, pull out drawer toward the bench with (3) front to back adjustable dividers with in drawer, locking stainless steel latch.	1.00	2,104.00
SR00137445	OXYGEN OUTLET (1) CEILING - OHIO MED - AT FOOT OF COT AREA: One (1) Ohio Medical flush mounted, quick release oxygen outlet shall be installed in the ceiling above the foot of cot area	1.00	Included
SR00137446	OVERHEAD CABINETS #3 WITH HINGED POLYCARBONATE DOORS, GAS SHOCK HOLD-OPENS, AND CENTER SQUEEZE LATCHES. Curbside interior cabinets #3 above the seating area with hinged	1.00	1,797.00



	polycarbonate doors with six (6) adjustable dividers in each cabinet. each flip door shall have a center squeeze latch per dwg. #6.		
SR00137448	----- DRAWER, SHARPS/TRASH STREETSIDE Install a 5qt trash and 4.7 qt customer supplied sharps container in a pull out drawer with a locking stainless steel flush pull latch with a hinged acrylic hinged lid on the counter with an ABS funnel for sharps.	1.00	1,855.00
SR00137456	----- ASSIST HANDLES, (2) 'V-BARS' KNURL STYLE, (5) KNURL ASSIST A total of eight (7) assist handles shall be provided: two (2) 1-1/4" diameter Knurl style 'V' handles, one (1) on each passage door; and FIVE (5) 12" Knurl assist handles: two (2) handles at the rear doorway-one on each side, one (1) at the curbside doorway, one (1) on the curbside door per dwg. #6, one (1) on the exterior by the forward curbside door per dwg. #4.	1.00	Included
SR00137458	----- PULL-OUT DRAWERS TOWARDS THE AISLE Left wall interior cabinet (#5) below action area: two (2) vertically drawer facing the aisle under the action area. Each drawer shall have a locking, stainless steel, flush pull latch (3) front to back adjustable dividers in each drawer	1.00	2,204.00
SR00137466	----- FRESH AIR INTAKE Install a fresh air intake on the curbside forward above the curbside doorway.	1.00	Included
SR00137468	----- CABINET #1 LEFT WALL- RESTOCKNG FRAME WITH SLIDING POLYCARBONATE DOORS AND (1) FIXED SHELF Left wall, upper rear interior cabinet (#1): sliding polycarbonate doors w/ a flip-up restocking frame, gas filled hold-open shocks, full length handles w/ outer most sliding door to have handles on both ends, (1) fixed shelf, 2 ea top/bottom dividers	1.00	Included
SR00137470	----- CURBSIDE CABINET AT HEAD OF BENCH Cabinet stack at head of squad bench. with (1) pull out drawer toward bench. Install 3 front to back dividers in drawer. With locking stainless steel flush pull latch. Notch below drawer for access to a sharps/waste pull out drawer into the isle with a drop from the top hinged acrylic lid and a locking stainless steel flush pull latch.	1.00	4,546.00



SR00137473	CABINET - RESTOCKING FRAME WITH SLIDING POLYCARBONATE DOORS AND (1) FIXED SHELF Left wall, upper interior cabinet (#2A): sliding polycarbonate doors, flip-up restocking frame w/ gas filled hold-open shocks, full length handles, outer most sliding door to have handles on both ends, (1) fixed shelf with top/bottom dividers (6 top/6 bottom).	1.00	Included
SR00137474	CABINET - HINGED POLYCARBONATE DOOR WITH CENTER SQUEEZE LATCH AND GAS SHOCK HOLD-OPEN Left wall upper interior cabinet (#6): cabinet w/ (1) flip up hinged polycarbonate door with friction hinges, center squeeze latch.	1.00	Included
SR00137476	COUNTER TOP, SOLID ACRYLIC A solid acrylic counter top with a 1/2" lip shall be installed to prevent equipment from sliding off.	1.00	Included
SR00137483	INVENTORY CONTROL SYSTEM Install inventory control system to all interior cabinets.	1.00	105.00
SR00137485	STORAGE AREA, ABS OVER CURBSIDE DOOR Install an ABS storage area with plexiglass door and quarter turn latch, in the head pad over the curbside entry door.	1.00	441.00
SR00155432	GLOVE DISPENSER-3 BOX-END OF BENCH (ALUMINUM) An aluminum three (3) - box glove dispenser unit, with a clear acrylic hinged access panel with three (3) cut-outs, shall be provided inside the curb door, at the end of the bench.	1.00	307.00
50-51-1001	CABINET CONSTRUCTION - INTERIOR - ALUMINUM All interior cabinets shall be constructed of .090" thick welded aluminum.	1.00	Included
50-51-1014	CATCH, MAGNETIC - ADHESIVE BACK FOR INTERIOR DOOR(S) OVER 36 INCHES All interior doors that are over 36" inches tall with a latch on the top of the door shall have an adhesive back magnetic catch installed on the bottom of the door.	1.00	Included
50-60-0220	EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT (2) "No Smoking / Oxygen Equipped / Fasten Seat Belts" signs: (1) sign installed in the cab, (1) above the oxygen outlets in the patient compartment street side cabinet.	1.00	Included



50-60-0300	----- FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE Sub-floor in the patient compartment: constructed of .125" thick aluminum over .125" and .190" thick reinforcing hat sections and mounting laterals, aluminum sub-floor covered with a 3/4" non-wood composite material, all corner molding, edging and trim anodized aluminum or stainless steel and sealed to prevent fluids from seeping under the cabinets. -----	1.00	Included
50-60-0301	----- FLOORING - COVE Patient compartment floor radius: coved with pre-formed floor coving material, installed behind the vinyl floor covering, along both the street side and curbside walls. -----	1.00	Included
50-60-0391	----- HEADLINER - REAR PATIENT COMPARTMENT Headliner in the patient compartment shall be one-piece, seamless, .090 thick aluminum finished with sprayed-on multi-use polychromatic coating. -----	1.00	Included
50-51-1013	----- HOLD OPENS FOR INTERIOR DOORS All interior cabinets with doors less than 6" tall shall have friction hinges as hold opens for door(s). Doors 6" and taller shall be designed using gas shocks as hold opens for the door(s). -----	1.00	Included
50-60-0660	----- PADDED EDGING PROTECTION Install: padded corner edging where necessary on exposed corners and edges in the patient compartment for patient and attendant protection. -----	1.00	Included
50-00-0202	----- ROUNDED INTERIOR CORNERS Interior vertical edges: rounded/padded corners in the following locations: forward and aft edges of the CPR seat, the wall at the aft end of the squad bench, the partition opening cabinet edges and the upper front wall cabinet. -----	1.00	Included
50-51-1011	----- RECESSED ADJUSTABLE SHELF TRACK - CABINETS Install recessed adjustable shelf track in cabinets. -----	1.00	Included
50-51-5001	----- UPHOLSTERY - PATRIOT PLUS CHARCOAL #8605 All cushions, head pads and seating surfaces shall be covered with Patriot Plus Charcoal #8605 -----	1.00	Included
50-60-0661	----- INTERIOR MODULE PADS Vinyl upholstered, foam cushioned head/back pads shall be installed as follows: the lower edge of the -----	1.00	Included



	upper front wall cabinet (above the partition doorway or window), above the rear doors, above the side door, and on the street side wall behind and on each side of the CPR seat. The pads shall be covered with a flame-retardant color coordinated vinyl upholstery material.		
50-51-6003	LONPLATE II, NON-SLIP EMBOSSED SM. GRID - GUNMETAL #424 The floor in the patient compartment shall be covered with Lonseal brand "Lonplate II" non-slip; small grid (embossed) Gunmetal #424.	1.00	Included
50-51-2002	CABINET DOORS - CLEAR POLYCARBONATE All cabinet doors shall be clear polycarbonate material / installed in aluminum track lined with PPL inserts / An edge mounted aluminum handle shall be installed on each sliding cabinet door.	1.00	Included
50-51-3001	CABINETS/ WALLS - POLYCHROMATIC COATING - MARBLE STONE Headliner, walls, cabinet faces, and cabinet interiors MultiSpec color to be Marble Stone	1.00	Included
50-51-4055	COUNTERTOP - SOLID ACRYLIC - BLACK ONYX MIRAGE A solid acrylic counter top, Black Onyx Mirage.	1.00	Included
50-01-0411	LATCHES, CABINET, CN10 COMPLIANT AS APPLICABLE The ACP (attendant control panel) door and the PDQ (power distribution quarters) door shall be secured with chrome locking lever latches, all remaining interior hinged cabinet doors with center squeeze latches (if applicable). All interior drawers with flush pull latches (if applicable).	1.00	Included
50-10-0226	LEFT WALL - ATTENDANT CONTROL PANEL - HINGED PANEL A hinged access panel and secured with two (2) latches to the immediate right of the attendant's seat, color microprocessor screen installed on the panel.	1.00	Included
IS2XL1OP3	CABINET - RESTOCKNG FRAME WITH SLIDING POLYCARBONATE DOORS, FIXED CENTER SHELF, TOP/BOTTOM ADJUSTABLE DIVIDERS Left wall, upper interior cabinet (#2): sliding polycarbonate doors, flip-up restocking frame with gas filled hold-open shocks, doors w/ full length handles, outer most door handles on both ends, fixed center shelf and top / bottom adjustable dividers.	1.00	Included
ISRAISED	RAISE STREETSIDE CABINETS, DELETE ANGLED LIGHTS	1.00	Included



50-60-0470	BLANKET WARMER - LOCATED INSIDE (1) INTERIOR CABINET front wall cabinet #5 Provide: (1) Blanket warmer plate and adjustable thermostat in the patient compartment of the unit. -----	1.00	519.00
IC-CNT-ACR	COUNTER TOP, CURBSIDE - SOLID ACRYLIC Install: solid acrylic countertop with 1/2" lip on the cabinet at the head of the curbside seating area. -----	1.00	Included
50-50-0541	HOLD OPENS - SQUAD BENCH LID - GAS CYLINDERS Gas cylinder hold-open(s) shall be provided and installed to hold lid in the open and closed position. -----	1.00	Included
SQ-BN-BASE	SQUAD BENCH BASE W/STORAGE A storage area shall be provided in the squad bench base. The squad bench base shall be constructed of .090" thick aluminum for maximum storage capacity and minimum weight. The interior of the squad bench shall be sprayed with sound absorbing polyurethane material. -----	1.00	Included
IF3PDQ	CABINET - PDQ The Power Distribution Quarters (PDQ) shall hold electrical components, (i.e., power distribution nodes, circuit breakers, etc.), hinged door with (2) chrome locking lever latches, located on the partition wall behind the attendant seat. -----	1.00	Included
50-60-0001	AIR PURIFICATION SYSTEM, ULTRAVIOLET Install a Ultraviolet Air Purification System within the heater/AC. -----	1.00	518.00
IF1XL1C5	CABINET - FRONT WALL, UPPER #1 - HINGED ALUMINUM DOOR The front wall interior cabinet #1, flip up hinged aluminum door with gas shock hold-open(s) and a center squeeze latch, (1) adjustable shelf. -----	1.00	Included
IF1XL1OP5	CABINET WITH HINGED ALUMINUM DOOR WITH CENTER SQUEEZE LATCH WITH (1) ADJUSTABLE SHELF Install cabinet with a hinged aluminum door with gas shock hold-open(s) in the upper front wall. -----	1.00	Included
IF3XL1OP1	CABINET - VENTED RADIO CABINET PDQ ABOVE Power Distribution Quarters (PDQ) compartment and a vented radio compartment below the PDQ, lower front wall, left. -----	1.00	Included
IF3XL1RAD	CABINET - FRONT WALL, LOWER BELOW PDQ (SINGLE VENTED DOOR) A radio cabinet with a vented, hinged aluminum door, secured by a chrome locking lever latch, located on the	1.00	Included



	front lower left wall, door to open towards rear of the module.		
IF4XL1OP4	----- CABINET - HINGED POLYCARBONATE DOORS WITH CENTER SQUEEZE LATCHES, PASS-THROUGH WINDOW OPEN TO THE CAB Window opening, pass-through from cab to module. A cabinet with hinged polycarbonate doors located below window opening. The cabinet to have oen (1) adjustable shelf. -----	1.00	Included
IF-CNT-ACR	----- COUNTER TOP, SOLID ACRYLIC Install: solid acrylic countertop with a 1/2" lip in the pass-through opening. -----	1.00	Included
50-20-0507	----- PASS THROUGH - CAB TO MODULE, WINDOW OPENING A window opening: provided in the rear of the cab to accommodate pass-through communications to the patient compartment, bellows provided to connect the cab to the module. -----	1.00	Included
50-20-0508	----- PASS THROUGH - CAB TO MODULE, LOCKABLE SLIDING WINDOW Install: A lockable sliding window in the cab over the pass thru opening to the module. -----	1.00	Included
50-50-0118	----- SEATING - ATTENDANT - USSC VALOR R - BACK INTEGRAL CHILD, SWIVEL SEAT CN8 COMPLIANT A USSC Valor rear facing, R-back attendant seat with an integrated child seat installed at the head of the patient cot: a (2) position swivel seat mounted on a pedestal base with a heavy-duty seat frame / ABTS (All Belts To Seat) application with (4) point / (4) retractors single click internal mount belt system. The seat shall be padded and covered with sewn matching vinyl upholstery. -----	1.00	Included
50-50-0121	----- SEATING - ATTENDANT - CENTERED WITH COT Attendant seat to be centered with cot per dwg #9 -----	1.00	Included
50-50-0333	----- CPR SEAT STORAGE AREA, BELOW SEAT - W/HINGED SEAT BOTTOM The bottom seat cushion shall be hinged with a storage area located below. The interior of the storage area shall be sprayed with sound absorbing polyurethane material. An automatic latching fastener shall be installed to secure the CPR seat lid in the closed position. -----	1.00	764.00
CPROP4	----- SEATING - CPR - EVS WITH BACKPACK HARNESS A CPR seat shall be installed on the street side of the	1.00	Included



	patient compartment aft of the primary action area counter. The CPR seat shall be KKK-A-1822F Change Notice 8 compliant with the Backpack style shoulder / seat belt system and conform to all applicable FMVSS and SAE J3026 requirements. -----		
SQSTOP7	SEATING - CN8 COMPLIANT TWO (2) EVS BACKPACK A Squad bench seat: (2) EVS individual seating positions will be installed on the curb side of the patient compartment. Seats shall have the EVS Backpack Belting system and be covered with color coordinated, cut and sewn vinyl. -----	1.00	Included
HVAC_HSL_STD_01	HVAC - THE EVAPORATOR IS TIED-IN TO THE OEM AIR CONDITIONING SYSTEM, COOLING THE AIR OF THE PATIENT COMPARTMENT THROUGH THE VENTS (STANDARD SETUP) The air conditioning unit shall be tie-in to the OEM air conditioning system, cooling the air of the patient compartment through the outlets. The evaporator unit shall have a capacity of 580 CFM and cooling capacity of 30,000 BTU. The evaporator shall be installed in the patient compartment, in the upper front wall. It shall be accessible by removing the HVAC faceplate. Four (4) adjustable vents with manual closures are installed within the HVAC faceplate. The patient compartment HVAC system shall be controlled by the driver or the patient compartment attendant via the multiplex located in the front console or the rear switch panel. The patient compartment temperature shall be monitored by a thermostat incorporated in the multiplexing electrical system. Additional to the three (3) preprogrammed speeds, an automatic mode shall be able to decide between heating, cooling and fan speed in function of the set temperature versus the patient compartment temperature. In order to achieve maximum efficiency and optimization of this system, the fans' speed shall be optimized via Pulse Width Modulation (PWM) to allow the heating and cooling system to run at its most effective speed. Adequate room for hose connections and hose lines shall be provided when installing HVAC components. The hoses shall be protected and insulated to optimize performance and longevity. -----	1.00	Included
COND_HSL_01	HVAC - SINGLE COIL CONDENSER - 24,000 BTU A single coil condenser, 24,000 BTU Low Profile, shall be installed on the front of the module. The condenser shall be top center mounted with mounting brackets. Condenser and brackets are to be painted to match the module. -----	1.00	Included



COND_BRK_01	CONDENSER BRACKET TO BE FLAT DESIGN AND COLOR MATCH TO THE CONDENSER The condenser bracket shall be a flat designed, painted to match the condenser, mounted to the bulkhead of the module. -----	1.00	Included
50-60-0730	DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUMINUM - W/ACCESS PANELS Interior rear and curbside passage door panels to be full length aluminum, Multi-Spec sprayed to match interior color and contain removable latch access panel per dwg. # 6 & # 8. (Total 3). -----	1.00	Included
50-60-0256	EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM Install: three-speed, 250 CFM (minimum) exhaust fan in the street side cabinet in the patient compartment, fan pulse width modulated from a switch on the attendant control panel vista screen, exhaust system to have a louvered grille inside and a chrome vent outside, system vent through the side of the vehicle, not through the roof. -----	1.00	Included
50-60-0325	NO - GLOVE, DISPENSER - CURBSIDE ABOVE DOOR Delete the glove box (3) dispenser above the curbside door. -----	1.00	Included
50-60-0332	GLOVE DISPENSER - (1) BOX - EACH REAR DOOR - TOTAL TWO (2) A single box glove dispenser unit, with a clear acrylic hinged access panel with cut-out, shall be recessed on the rear passage doors, one each door per dwg #8. -----	1.00	600.00
50-60-0351	GRAB RAILS, 1-1/4" DIAMETER, (96") OVER COT & (64") SQ BENCH Install 64" stainless steel grab rail over the squad bench area. -----	1.00	Included
50-60-0440	IV HANGERS - CEILING RECESSED - DUAL IV BAG HOLDER Recessed ceiling IV hanger(s) provided and installed per the drawings. -----	2.00	Included
50-60-0640	OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM A 12 VDC controlled electric O2 system operated through the v-mux multiplex electrical system shall be provided and installed. -----	1.00	Included
50-60-1602	OXYGEN OUTLET (2) LEFT WALL - OHIO MED - ACTION AREA -----	1.00	Included



	Two (2) Ohio Medical flush mounted; quick release wall outlets shall be installed in the forward street side cabinet action area. Per dwg #5		
50-60-0629	FLOW METER, OXYGEN - THORPE STYLE One (1) Thorpe style oxygen flow meter (15LPM) shipped loose with the completed vehicle.	1.00	Included
50-60-0286	OXYGEN - ZICO QR-D-2 PORTABLE OXYGEN STORAGE BRACKETS TWO (2) RECESSED INTO HEAD OF SQUAD BENCH Two (2) Zico #QR-D-2 storage brackets for "D" oxygen cylinders, shall be recessed and installed into the forward end of the squad bench and accessible from the curbside stepwell.	1.00	1,521.00
Braun - Optional Patient Compartment Items			
Item Number	Name	Quantity	Price
SR00137450	STAINLESS STEEL WALL PROTECTION - INTERIOR CURBSIDE: A brushed stainless steel panel shall be provided on the street side wall 6" from the Floor.	1.00	Included
SR00137452	AISLE LIGHTING Install Ridgeback strip lights in a aluminum channel under the stainless steel wall protectors on the street side and the curb side.	1.00	1,340.00
SR00137461	CODE 3 VITAL VIO DECONTAMINATION SYSTEM PCL-LED-VV PATIENT LIGHT VV, 48LED, 12-24VDC (BARE LEADS) Install (3) Code 3 Vital Vio Antimicrobial Light Disinfection units in module headliner.	1.00	1,901.00
DECON-EVER-01	EVERGREEN LUMALIER UV ADU-136-PB DECONTAMINATION SYSTEM Install an Evergreen Lumalier Decontamination UV-C system per drawings.	1.00	3,583.00
50-62-0446	COT FASTENER - STRYKER FLOOR PLATE AND 12v PRE-WIRE FOR CUSTOMER FUTURE INSTALL OF A POWER OR PERFORMANCE COT LOAD SYSTEM Install Stryker Floor plate kit and 12v pre-wire for Customer supplied / Customer installed Stryker Performance or Power Load Cot	1.00	Included
30-10-0502	LIGHTS, INTERIOR - WHELEN MINI LED BRAKE/TURN REAR HEADPAD Install: Whelen Mini-LED turn signal and brake light on rear headpad above the rear doors (amber / red / amber).	1.00	235.00



Braun - Paint / Graphics

Item Number	Name	Quantity	Price
60-01-0001	PAINT PROCEDURE All non-anodized aluminum module body surfaces: completely chemically steam cleaned, filled with premium body filler as needed, sanded smooth and primed with an epoxy primer and then primed again with a high solid primer, cured primer surfacer shall be DA sanded with 320 grit and cleaned. A high solid primer shall then be applied, where needed, as a sealer.	1.00	Included
60-01-0005	STANDARDS AND SPECIFICATIONS FOR VEHICLE PAINT APPEARANCE Adhere to Standards and Specifications for Vehicle Paint Appearance.	1.00	Included
60-10-0108	CAB - OEM PAINT FORD OEM RACE RED	1.00	Included
60-01-0004	BUFFING, PAINT - MODULE The paint on the module sides shall be buffed to a high shine using a recommended paint buff system.	1.00	Included
60-09-0101	PAINT MOD ALL ONE SOLID COLOR, PLUS CLEAR COAT FORD OEM RACE RED The entire module shall be sprayed one-color and then clear coated.	1.00	Included
60-30-0200	REFLECTIVE - DOOR REFLECTIVITY Install reflective material (25" x 2.5" red/silver chevron style), on the lower interior stainless steel panel of each rear door and hinged side door. NOTE: If a sliding side door is provided, install a 1.50" x 40.00" white reflective stripe on the rear facing edge.	1.00	Included

Braun - Vehicle Manuals

Item Number	Name	Quantity	Price
80-20-0001	VEHICLE MANUALS (1) PACKAGE SET One (1) Delivery Manual Package shall be supplied with the vehicle, and shall include the following items: Ambulance manufacturer parts, service, and operation manuals, OEM chassis owner's guide, complete 12 VDC and 125 VAC wiring schematics for all included standard and optional systems, Multiplex Electrical system programming - electronic media	1.00	Included
90-10-0007	STATEMENT OF LIMITED WARRANTY NEW AMBULANCES	1.00	Included

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Ordinance 20-2023

DATE: May 12, 2023



Subject Matter/Background

Ordinance 20-2023 is an update to Codified Ordinance 280.05 to remove the designated monthly schedule for the Citizen's Park and Recreation Advisory Committee Code and allow meetings to be scheduled via the bylaws of the Committee

Financial Review

There is no funding needed for this Ordinance.

Legal Review

This Ordinance has been reviewed and is appropriately before you.

Recommendation

If City Council is in agreement, a motion to suspend the three readings, waive the rules, and authorize this Ordinance as an Emergency is recommended.

ORDINANCE 20-2023

AMENDING CODIFIED ORDINANCE 280.05 OFFICERS; MEETINGS; QUORUM OF THE CITIZEN'S PARK AND RECREATION ADVISORY COMMITTEE PREVIOUSLY AMENDED BY ORDINANCE 58-2019 ON DECEMBER 17, 2019 AND DECLARING AN EMERGENCY

WHEREAS, the Citizen's Park and Recreation Advisory Committee has conducted a review of Chapter 280 to determine whether revisions are necessary; and,

WHEREAS, City of Perrysburg, Ohio, Codified Ordinance 280.05 establishes the meeting schedule of the Citizen's Park and Recreation Advisory Committee; and,

WHEREAS, the Citizen's Park and Recreation Advisory Committee has recommended an update to Codified Ordinance 280.05 to remove the designated monthly schedule and allow meetings to be scheduled via the bylaws of the Committee; and,

WHEREAS, the Recreation Committee considered this revision at its meeting of May 1, 2023 and unanimously recommended advancement to City Council.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. Codified Ordinance 280.05, which currently reads as:

280.05 OFFICERS; MEETINGS; QUORUM. The Citizen's Park and Recreation Advisory Committee shall organize annually to elect a Chairman, Vice- Chairman and Secretary. Meetings of the Committee shall be scheduled for the months of April, May, June, July, August, September, October and November and at such additional times as shall from time to time be provided by the bylaws of the Committee. Six members of the Committee shall constitute a quorum for the transaction of business.

is hereby revised and amended to read as follows:

280.05 OFFICERS; MEETINGS; QUORUM. The Citizen's Park and Recreation Advisory Committee shall organize annually to elect a Chairman, Vice- Chairman and Secretary. Meetings of the Committee shall be scheduled **as** provided by the bylaws of the Committee. Six members of the Committee shall constitute a quorum for the transaction of business.

SECTION 2. It is found and determined that all formal actions of Council concerning or relating to the passage of this Ordinance were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 3. This Ordinance is hereby declared to be an emergency measure necessary for the immediate preservation of the public peace, health and safety of the residents of the City of Perrysburg, Wood County, Ohio and shall be in full force and effect from and immediately after its passage and approval by the Mayor.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____

TO: Mayor Mackin
President Smith
Members of City Council

FROM: Timothy W. Effler, Law Director

RE: Ordinance 21-2023

DATE: May 12, 2023



Subject Matter/Background

Ordinance 21-2023 introduces City of Perrysburg, Ohio, Codified Ordinance 266.06-8, which codifies a new Pregnancy and Parental Leave policy. This policy was sent forward for discussion by the Personnel Committee and sets forth a more modern and inclusive Pregnancy and Parental Leave policy, which would be important to offer to employees in the pursuit of an equitable workplace, maintaining a quality personal and family life, helping the City to attract well qualified workers. The purpose of Pregnancy and Parental Leave is to promote work-life balance by providing time for parents to care for and bond with their newborn, newly-adopted, or newly-fostered child. This new policy grants up to 12 weeks of paid pregnancy and parental leave to full-time non-bargaining employees that have worked with the City for at least 1 year.

ORDINANCE 21-2023

ADDING CODIFIED ORDINANCE 266.06-8: PREGNANCY AND PARENTAL LEAVE OF THE CITY OF PERRYSBURG PERSONNEL CODE

WHEREAS, City of Perrysburg, Ohio, Codified Ordinance 266.09-2 explains Parental Bonding Leave; and,

WHEREAS, City of Perrysburg, Ohio, Codified Ordinance 266.06-8 explains the new Pregnancy and Parental Leave policy; and,

WHEREAS, this Council believes that this more modern and inclusive Pregnancy and Parental Leave policy is important to offer to employees in the pursuit of an equitable workplace and this policy will help the City attract well qualified workers; and,

WHEREAS, as part of its efforts to foster a workplace in which professional success can be achieved while maintaining a quality personal and family life, the City of Perrysburg, Ohio would like to provide further support to employees and their families with leave opportunities for new parents. The purpose of Pregnancy and Parental Leave is to promote work-life balance by providing time for parents to care for and bond with their newborn, newly-adopted, or newly-fostered child.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF PERRYSBURG, WOOD COUNTY, OHIO:

SECTION 1. Codified Ordinance 266.06-8 shall read:

A. For purposes of this section and all other references in this section to “health care professional” OR “licensed health care professional” the term shall mean physician, psychologist, psychiatrist, and other licensed to administer health care independently or under the direction of a physician.

For the purpose of this section, the term "qualifying event" means the birth of a child or the adoption or foster care placement of a child who is less than six years of age. Adoption of a stepchild is not a qualifying event.

Pregnancy and Parental Leave does not reduce the employee's accrued time under any other City paid leave program (such as sick, personal or vacation). An employee

on Pregnancy and Parental Leave will continue to accrue sick leave and vacation leave at their regular rate.

Any holiday occurring during Pregnancy and Parental Leave period shall be counted as part of the Pregnancy and Parental Leave and paid as such.

If both parents are eligible for Pregnancy and Parental Leave under this policy, they may choose to take the Pregnancy and Parental Leave concurrently or consecutively.

B. Beginning January 1, 2024 all non-bargained full-time employees who have been employed by the City for one (1) year or more and who have worked at least 1250 hours within the previous twelve (12) month period may qualify for Pregnancy and Parental Leave in the event that they are currently pregnant and/or immediately following the qualifying event by such employee and/or their legal spouse according to the following table:

<i>QUALIFYING EVENT ON OR AFTER</i>	<i>QUANTITY OF PAID TIME OFF</i>
January 1, 2024	Up to twenty (20) eight (8) hour shifts
January 1, 2025	Up to thirty (30) eight (8) hour shifts
January 1, 2026	Up to forty (40) eight (8) hour shifts
January 1, 2027	Up to fifty (50) eight (8) hour shifts
January 1, 2028	Up to sixty (60) eight (8) hour shifts

For purposes of this section all paid time off shall run during consecutive shifts until exhausted.

C. Pregnancy and Parental Leave will run concurrently with the employee's available family medical leave (also known as FMLA leave). At the end of the Pregnancy and Parental Leave, the employee's remaining time off if applicable, will follow the procedures outlined in Section 266.06-1, 226.06-7, and 266.09-2.

D. An employee should make their request for Pregnancy and Parental Leave as soon as practicable to enable the City to make arrangements to cover their duties. In any event, it is the employee's responsibility to make the request at least four weeks before the first day of the Pregnancy and Parental Leave. Pregnancy and Parental Leave may be denied, if the request is made after that deadline.

The employee should request leave in writing and submit it to the office of human resources after consultation with their supervisor.

E. Pregnancy and Parental Leave may begin before the qualifying event if it is deemed medically necessary by a licensed health care professional or is required to

fulfill the requirements of the adoption or foster care placement. The office of human resources will require an employee requesting an early start to Pregnancy and Parental Leave to submit appropriate supporting documentation. The decision whether to allow Pregnancy and Parental Leave to begin early will be made in the sole discretion of the human resources manager or designee. Early Pregnancy and Parental Leave is subject to the rest of this policy.

SECTION 2. It is hereby found and determined that all formal actions of Council concerning or relating to the passage of this Ordinance were adopted in an open meeting of the Council, and that all deliberations of this Council and any of its committees, that resulted in such formal actions, were in meetings open to the public in compliance with all legal requirements of the City of Perrysburg and the State of Ohio.

SECTION 3. This Ordinance shall be in full force and effect at the earliest time permitted by law.

President of Council

Mayor

PASSED _____

ATTEST: _____

APPROVED: _____