

HEALTH, SANITATION AND PUBLIC UTILITIES COMMITTEE

JUNE 22, 2016

The meeting was called to order at 6:00 p.m. by Chairman Jonathan Smith. Committee members present were Jonathan Smith, Barry VanHoozen, and Becky Williams. Also present was Alice Godsey, Director of Public Utilities.

SEWER APPEAL – 816 SANDALWOOD ROAD EAST

Ms. Godsey requested approval of a sewer credit for Silvija Akbary, 816 Sandalwood Road East in the amount of \$2,569.67. She said that they had a sump pump failure and the water back-up ran for some time. They have verified that the water went to the storm sewer. The Committee agreed 3-0 to recommend approval of the credit.

SEWER APPEAL – 219 LOUISIANA AVENUE UPPER

Ms. Godsey requested approval of a sewer credit for Colonial Acres Co., Ltd., owner of 219 Louisiana Avenue upper unit, in the amount of \$1,053.10. The customer had a water service leak in the crawl space so the water did not go down the sanitary sewer. The Committee agreed 3-0 to recommend approval of the credit.

OTHER BUSINESS

Mr. Smith stated that in light of some recent news reports about overflows, he contacted the Ohio EPA. They say they have seen the video and it does not appear to them that any sewage is being discharged. Ms. Godsey gave an update on the AECOM study. She said that since the flow meters have been installed there has not been much rain. She said that this delays the fact finding portion of the study. Mr. Smith stated that the EPA Inspector said that after we finish the sewer separation projects we will have to do flow meter testing for two years. Ms. Godsey said that they have already entered into a lease contract for flow meters which will replace the manual visual checks. The flow meters will monitor twenty-four hours a day. Mr. Smith asked if we should put money in the budget for additional interceptors since we can't increase the size of the pipes we have. Ms. Godsey said that we don't want to get ahead of ourselves and we will have results of the study from AECOM late this year or early next year. There was further discussion about I & I and the TMACOG Water Feasibility Study, but no action was taken.

There being no further business, the meeting adjourned at 6:51 p.m.

Respectfully submitted,

Jonathan Smith, Chairman
Health, Sanitation & Public Utilities Committee

Next meeting: Wednesday, July 27, 2016 at 6:00 p.m.